



# KWYJIBO

## RARE EARTH PROJECT

---

INVESTOR PRESENTATION  
OCTOBER 2026

TSXV: NQC | OTC: JORFF | FRA: J6K



## CAUTIONARY LANGUAGE AND LEGAL DISCLAIMER

This presentation of Consolidated Lithium Metals (“Consolidated” or the “Company”) is for information only and shall not constitute an offer to buy, sell, issue or subscribe for, or the solicitation of an offer to buy, sell or issue, or subscribe for any securities. The information contained herein is subject to change without notice and is based on publicly available information, internally developed data and other sources. Where any opinion or belief is expressed in this presentation, it is based on the assumptions and limitations mentioned herein and is an expression of present opinion or belief only. No warranties or representations can be made as to the origin, validity, accuracy, completeness, currency or reliability of the information. The Company disclaims and excludes all liability (to the extent permitted by law), for losses, claims, damages, demands, costs and expenses of whatever nature arising in any way out of or in connection with the information in this presentation, its accuracy, completeness or by reason of reliance by any person on any of it. This presentation should not be construed as legal, financial, or tax advice to any person, as each person’s circumstances are different. Readers should consult with their own professional advisors regarding their particular circumstances. The information contained in this presentation is not directed to persons or entities resident in the United States and does not constitute an offer or solicitation by anyone in the United States or in any other jurisdiction in which such an offer or solicitation is not authorized or to any person to whom it is unlawful to make such an offer or solicitation, unless otherwise exempt from applicable securities legislation.

## FORWARD-LOOKING STATEMENTS

This presentation contains “forward-looking information” within the meaning of applicable Canadian securities laws. Forward-looking information includes, but is not limited to, statements with respect to negotiation of a definitive agreement; the terms and conditions of the earn-in; the potential earn-in of up to 80% interest in the Kwyjibo Project; planned exploration programs, studies, and expenditures; potential development timelines; future demand for rare earth elements; and the strategic importance of the Project. Forward-looking information is subject to known and unknown risks, uncertainties and other factors that may cause actual results, performance or achievements to differ materially, including risks related to: the ability of the Company and SOQUEM to finalize a definitive agreement on acceptable terms; the Company’s ability to fund earn-in expenditures; regulatory approvals; commodity prices; exploration and development risks; environmental and social risks; community and Indigenous relations; and general economic and market conditions. Although the Company believes the expectations expressed in such forward-looking information are reasonable, there can be no assurance that such expectations will prove correct. Forward-looking information is provided as of the date of this presentation, and the Company does not undertake any obligation to update or revise such information except as required by law.

## TECHNICAL INFORMATION

The scientific and technical information contained herein has been reviewed and approved by **Serge Perreault P.Geo.**, the Company’s Senior Advisor who is a “Qualified Person” as defined in National Instrument 43-101 – Standards of Disclosure for Mineral Projects.

## THIRD PARTY INFORMATION

This presentation contains or references certain information from publicly available sources that the Company believes to be generally reliable; however, except as otherwise set out herein, the Company has not independently verified any of the data from third party sources referred to in this presentation and, accordingly, the accuracy and completeness of such information is not guaranteed.



- NORDIQUE AT A GLANCE
- KWAYJIBO PROJECT SUMMARY
- ENVIRONMENTAL SAFEGUARDS ACROSS THE PROJECT
- LOCAL COMMUNITY DEVELOPMENT PARTNERSHIP
- MOVING FORWARD

- **Nordique Critical Metals Incs (NQC)** is a Canadian junior mining exploration company focused on the exploration and development of critical mineral projects in stable jurisdictions.
- **Lithium properties (6)**: Nordique is exploring 6 Lithium projects (22,825) ha next to North American Lithium Mine, Abitibi, Quebec
- **Rare Earth property (1)**: Nordique/SOQUEM partnership for the Kwyjibo Rare Earth project. Nordique is the project operator with the option to earn up to 80% interest in the Project.


|                        |                           |
|------------------------|---------------------------|
| Stock Symbol           | TSX.V: NQC                |
| Share Price (09/24/26) | \$0.075 CAD               |
| Shares Issued          | 546,822,265               |
| Fully diluted          | 724,275,371               |
| Management             | % insider ownership: ~12% |
| Market cap             | \$ 41.01 M CAD            |

## **Special resolution at AGM | 10th of June 2026:**

NQC shareholders approved consolidation of the company's common shares on the basis of up to 20/1 with the final ratio to be determined by the board of directors of the Company.



- NORDIQUE AT A GLANCE
- KWYJIBO PROJECT SUMMARY
- ENVIRONMENTAL SAFEGUARDS ACROSS THE PROJECT
- LOCAL COMMUNITY DEVELOPMENT PARTNERSHIP
- MOVING FORWARD



SOURCE: 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.

## 1. KWYJIBO UNDERGROUND MINE SITE

Underground mine • 2.67 ha surface platform

## 2. HYDROMET COMPLEX (SHELDRAKE)

Crushing • Concentration • Hydrometallurgy • 11.34 ha


## ACCESS ROAD

Dedicated 144 km road connecting both sites

## NO SURFACE TAILINGS



- > **Mine site:** No surface tailings storage.
- > **Processing plant:** Engineering assessment underway to eliminate surface tailings storage.
- > **Underground return:** Targeting the return of all project residues underground as cemented paste backfill, at concentrations comparable to those naturally present in the rock before mining.

# KWYJIBO • EMPREINTE EN SURFACE DE LA MINE (2,67 ha)




SOURCE : ÉTUDE EEP 2026 POUR LE PROJET KWYJIBO, PRÉPARÉE POUR NORDIQUE MÉTAUX CRITIQUES INC. PAR DRA AMERICAS INC.

# KWYJIBO • EMPREINTE EN SURFACE DE LA MINE (2,67 ha) vs Place Sept-Îles (5.78 ha)




SOURCE : ÉTUDE EEP 2026 POUR LE PROJET KWYJIBO, PRÉPARÉE POUR NORDIQUE MÉTAUX CRITIQUES INC. PAR DRA AMERICAS INC.

# KWYJIBO • HYDROMETALLURGICAL COMPLEX (11.86 ha)



SOURCE: 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.



Engineering assessment underway to optimize the process → Targeting the return of all project residues underground


# KWYJIBO • MINERAL RESOURCE ESTIMATE FOR JOSETTE COMBINED ZONES



| Type                      | Tonnes | Total TREO | Critical REO | TREO Light | TREO Heavy | Nd2O3 + Pr2O3 | Tb2O3 | Dy2O3 |
|---------------------------|--------|------------|--------------|------------|------------|---------------|-------|-------|
|                           | *1000  | %          | %            | %          | %          | %             | %     | %     |
| <b>Josette North-East</b> |        |            |              |            |            |               |       |       |
| Measured                  | 1,409  | 3.38       | 1.52         | 2.27       | 1.11       | 0.68          | 0.019 | 0.11  |
| Indicated                 | 2,728  | 3.44       | 1.54         | 2.31       | 1.12       | 0.69          | 0.019 | 0.11  |
| M+I                       | 4,137  | 3.42       | 1.53         | 2.30       | 1.11       | 0.69          | 0.019 | 0.11  |
| Inferred                  | 1,370  | 3.93       | 1.76         | 2.65       | 1.27       | 0.79          | 0.022 | 0.13  |
| <b>Josette South-West</b> |        |            |              |            |            |               |       |       |
| Measured                  | 1,729  | 1.55       | 0.69         | 1.05       | 0.50       | 0.31          | 0.008 | 0.05  |
| Indicated                 | 2,614  | 1.51       | 0.67         | 1.02       | 0.49       | 0.30          | 0.008 | 0.05  |
| M+I                       | 4,343  | 1.53       | 0.68         | 1.03       | 0.49       | 0.30          | 0.008 | 0.05  |
| Inferred                  | 455    | 1.28       | 0.56         | 0.88       | 0.40       | 0.26          | 0.007 | 0.04  |
| <b>Combined</b>           |        |            |              |            |            |               |       |       |
| Measured                  | 3,138  | 2.37       | 1.06         | 1.60       | 0.77       | 0.48          | 0.013 | 0.08  |
| Indicated                 | 5,342  | 2.49       | 1.11         | 1.68       | 0.81       | 0.50          | 0.014 | 0.08  |
| M+I                       | 8,480  | 2.44       | 1.09         | 1.65       | 0.80       | 0.49          | 0.013 | 0.08  |
| Inferred                  | 1,825  | 3.27       | 1.46         | 2.21       | 1.06       | 0.66          | 0.018 | 0.11  |


MINERAL RESOURCE ESTIMATE SUMMARY | EFFECTIVE JUNE 25, 2026

SOURCE: 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.




SOURCE: 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.

|                               |                         |                                        |
|-------------------------------|-------------------------|----------------------------------------|
| 1,060 t/d<br>DESIGN MINE RATE | 10 yr<br>MINE LIFE      | 75%<br>LOM TREO RECOVERY               |
| 387 kt/y<br>ANNUAL THROUGHPUT | 3.35%<br>LOM TREO GRADE | 9.8 kt/year<br>AVERAGE TREO PRODUCTION |




**SOURCE (PROCESSING):** 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.  
**SOURCE (HYDROMETALLURGY):** SMH PROCESSING (ERIC LAROCHELLE)

# KWYJIBO • SIMPLIFIED PROCESSING FLOWCHART



SOURCE (PROCESSING): 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.  
SOURCE (HYDROMETALLURGY): SMH PROCESSING (ERIC LAROCHELLE)

# KWYJIBO • SIMPLIFIED PROCESSING FLOWCHART




Engineering assessment underway to optimize the process → Targeting the return of all project residues underground


SOURCE (PROCESSING): 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.  
SOURCE (HYDROMETALLURGY): SMH PROCESSING (ERIC LAROCHELLE)




Kwyjibo – Distribution of Rare Earth Oxides



Kwyjibo – Oxide Contribution to basket value



Kwyjibo – Rare Earth Oxides Basket Value Forecast



\* Forecasted prices are in Real 2026 U.S. dollars

Source: Adamas Intelligence

## Kwyjibo | Production Parameters

| Parameter                          | Unit   | Value |
|------------------------------------|--------|-------|
| Mine life                          | Years  | 10    |
| Annual throughput                  | Ktpa   | 387   |
| TREO grade, LOM average            | % TREO | 3.35  |
| TREO recovery, LOM average         | %      | 75.0  |
| Annual production, TREO (average1) | Ktpa   | 9.8   |

## Kwyjibo | Capital and Operating Cost Estimates

| Parameter           | Unit           | Value |
|---------------------|----------------|-------|
| Development Capital | CAD \$M        | 881   |
| Sustaining Capital  | CAD \$M        | 25.2  |
| Closure Capital     | CAD \$M        | 8.0   |
| Operating Costs     | CAD \$/kg TREO | 17.5  |

Notes:

1 – Average production determined considering only full years (where 387 ktpa of feed is processed).

## Kwyjibo | Project Economics

| Parameter      | Units   | Pre-Tax | After Tax |
|----------------|---------|---------|-----------|
| Cash flow      | CAD \$M | 4,843   | 2,966     |
| NPV @ 8%       | CAD \$M | 2,403   | 1,401     |
| IRR            | %       | 46.5    | 35.4      |
| Payback period | years   | 1.6     | 2.0       |

SUMMARY OF THE MINERAL RESOURCE ESTIMATE |  
EFFECTIVE JUNE 25, 2026  
SOURCE OF PRODUCTION, COST AND ECONOMIC  
DATA: 2026 PEA FOR THE KWYJIBO PROJECT,  
PREPARED FOR NORDIQUE CRITICAL METALS INC.  
BY DRA AMERICAS INC.

MINERAL RESOURCE ESTIMATE SUMMARY | EFFECTIVE JUNE 25, 2026

SOURCE FOR PRODUCTION, COSTS, ECONOMICS : 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.

Strong PEA economics supported by a compact, infrastructure-led project concept.



SOURCE: 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.



- NORDIQUE AT A GLANCE
- KWAYJIBO PROJECT SUMMARY
- ENVIRONMENTAL SAFEGUARDS ACROSS THE PROJECT
- LOCAL COMMUNITY DEVELOPMENT PARTNERSHIP
- MOVING FORWARD



## 1. KWYJIBO UNDERGROUND MINE SITE

Underground mine • 2.67 ha surface platform

## 2. HYDROMET COMPLEX (SHELDRAKE)

Crushing • Concentration • Hydrometallurgy • 11.86 ha

## ACCESS ROAD

Dedicated 144 km road connecting both sites

## INFRASTRUCTURE OUTSIDE PROTECTED ZONES

Mine • Processing complex • Access road  
outside mapped biodiversity zones



2018

Mine + Crusher + Concentrator at Kwyjibo (21 ha)

Hydromallurgical Complex at Sept-Îles (13.25 ha)

Residue storage at surface (Th, U, P, S)

Concentrate transport from: Kwyjibo to Sept-Îles



2026

No Crusher and Concentrator at Kwyjibo Mine (2.67 ha)

Hydromallurgical Complex at Sheldrake (11.86 ha)


No surface residue storage • All residues return underground (Th, U, P, S)

Raw ore transport from: Kwyjibo to Hydromallurgical Complex

CONCEPT  
OBJECTIVE

1. Reducing surface footprint
2. Eliminate surface storage of all project residues
3. Reintroducing all residues back underground -> Th (thorium) | U (uranium) | P (phosphore) | S (soufre) as cemented paste backfill, at concentrations comparable to those naturally occurring in the orebody.

## RESIDUES FROM CONCENTRATOR & HYDROMETALLURGICAL PLANT




### 2026 design principle

**Eliminate permanent surface storage at the Kwyjibo mine site for the residue returned as backfill.**

Further geochemical, hydrogeological and radiological characterization is required in the next study phases.

## RESIDUE FROM CONCENTRATOR & HYDROMETALLURGICAL RETURNED UNDERGROUND AS PASTE BACKFILL





- NORDIQUE AT A GLANCE
- KWAYJIBO PROJECT SUMMARY
- ENVIRONMENTAL SAFEGUARDS ACROSS THE PROJECT
- LOCAL COMMUNITY DEVELOPMENT PARTNERSHIP
- MOVING FORWARD

Nordique's objective is to advance Kwyjibo through structured, long-term partnerships with Innu Nations and local communities — extending beyond consultation to meaningful participation as the Project develops.

01

## DEVELOPMENT

Work together as engineering advances so local knowledge, land use and community priorities can inform project planning.

02

## MONITORING

Create opportunities for community participation in environmental follow-up, field programs and long-term stewardship.

03

## PARTICIPATION

Prioritize pathways for training, employment, local procurement and community businesses throughout development and operations.

04

## SHARED BENEFITS

Work toward mutually beneficial arrangements that allow communities to participate in the long-term value created by the Project.

### QUÉBEC PRECEDENT

Recent Côte-Nord examples show that mining proponents and First Nations can use formal engagement and cooperation agreements to establish expectations early, incorporate community input and build a pathway toward longer-term social acceptance and participation.

# KWYJIBO • WHAT THE NEXT STUDY PHASE MUST CONFIRM



## 01 ENGINEERING

- Mine design + schedule
- Road + power design
- Backfill system

## 02 ENVIRONMENT

- Baseline programs
- Water + hydrogeology
- Geochemistry

## 03 PROCESS

- Metallurgical optimization
- Mass balances
- Residue characterization


## 04 SOCIAL + PERMITTING

- Structured consultation
- Socio-economic baseline
- Authorization strategy




- NORDIQUE AT A GLANCE
- KWAYJIBO PROJECT SUMMARY
- ENVIRONMENTAL SAFEGUARDS ACROSS THE PROJECT
- LOCAL COMMUNITY DEVELOPMENT PARTNERSHIP
- MOVING FORWARD

# KWYJIBO • FROM PEA TO FEASIBILITY TECHNICAL REPORT



- Ratification of **Definite Agreement** with SOQUEM **(COMPLETED)**
- Completion of **Preliminary Economic Assessment** to evaluate technical, economic, and environmental viability of the Project in 2030 **(COMPLETED)**
- **Consultations** with the Innu of Takuaikan Uashat mak Mani-utenam, the Innu of Ekuanitshit, the Municipality of Rivière-au-Tonnerre **(2026-27)**
- Completion of **Metallurgical study** to confirm environmental viability of extraction and processing optimization of rare earth in **(2026-27)**
- **Environmental permitting** from the Bureau d'accélération de Projets **(2027)**
- Completion of **bankable feasibility study** to evaluate the technical and economic viability of the Project **(2027)**
- **Infrastructure and project construction:** Access road, Electrical transmission line, telecommunication line, Underground mine, and Processing Facility construction **(2027-2030)**



# NORDIQUE

C R I T I C A L M E T A L S

## THANK YOU

**e:** [info@nordiquecriticalmetals.com](mailto:info@nordiquecriticalmetals.com)

1000 rue De La Gauchetière Ouest, Suite MZ400,  
Montréal, Québec H3B 0A2, Canada

[www.nordiquecriticalmetals.com](http://www.nordiquecriticalmetals.com)



TSXV: NQC | OTCQB: JORFF | FRA: J6K



- MANAGEMENT AND BOARD MEMBERS
- PROJECT LOCATION AND RESOURCES DETAILS
- KWAYJIBO SITE AND CORE FACILITY VISIT

## Experienced in Mineral Exploration, Development, Construction & Operation

### **RICHARD QUESNEL** **PRESIDENT & CEO**

Mr. Quesnel served as President and Chief Executive Officer of Consolidated Thompson Iron Mines of Montreal. He has over 45 years of senior mine management and engineering experience at large gold, copper, nickel and iron ore mining properties in Canada and the Western USA including at Ledcor CMI Limited, JS Redpath Limited, Barrick Goldstrike, Quebec Cartier Mining and Placer Dome. He has successfully developed, commissioned, operated and expanded mining operations, both open pit and underground. He is a Professional Mining Engineer in Quebec and holds a Bachelor of Science degree in Mining Engineering from McGill University.

### **STEVE SIMARD** **TECHNICAL ADVISOR - ENGINEERING**

Mr. Simard, Eng., has over 25 years of experience in Canada and internationally in various sectors of the mining industry, including the development and operation of open-pit and underground mines. He has been involved in mining projects at different stages, including development, environmental assessment, tailings ponds, construction, and operations. He has contributed to various economic studies, including those for Doré Copper, an underground copper project in Chibougamau, Quebec, Canada, and for Black Rock Metals, an open-pit iron and vanadium mine project, also in Chibougamau. He worked for Consolidated Thompson Iron Mine on the construction and commissioning of the Bloom Lake iron mine in Fermont, Quebec, Canada.

### **SERGE PERREAULT** **TECHNICAL ADVISOR - GEOLOGY**

Mr. Perreault has over 35 years of senior experience in regional geology, mineral exploration, and project management. He holds both a bachelor's and a master's degree in geology from the University of Montreal. He worked for more than 17 years at Géologie Québec as a regional geologist, resident geologist, and assistant to the general manager. In 2008, he joined SOQUEM as senior project manager, senior geoscientist, and served as interim general manager from February 2020 to January 2021. Since April 2021, Mr. Perreault has contributed to governance and academia as president of the Ordre des géologues du Québec, lecturer in Chibougamau College Studies Centre, contract research officer at URSTM-UQAT, and as member of SOQUEM's technical and MCS Network scientific committees.

## Experienced in Mineral Exploration, Development, Construction & Operation

### **MURRAY BROWN** TECHNICAL ADVISOR - METALLURGY

Mr. Brown is a senior metallurgist with over 35 years experience that includes research & development, technical support, operations, and most recently consulting engineering roles, through which he has gained a solid grounding in the extractive metallurgy of copper, zinc, lead, silver, gold, and rare earths. His early career includes 15+ years combined experience with Noranda Minerals Inc. and Teck Metals and he recently completed 15 years as a consultant with BBA Inc. Working collaboratively with recognized experts in the field of chloride (mixed halide) hydrometallurgy with specialization in rare earths, he has acquired an appreciation for the challenges of rare earths processing in remote settings coupled with the associated logistical challenges. He is a member in good standing with the Order of Engineers of Quebec and earned both Bachelor's and Master's degrees in engineering from the (then) Department of Mining & Metallurgy at McGill University.

### **AARON ATIN** CORPORATE SECRETARY

Mr. Atin is a corporate and securities lawyer with securities, mergers and acquisition and corporate finance experience. Mr. Atin is currently a legal consultant to various Toronto Stock Exchange, TSXV and CSE listed companies in various sectors including mining, financial services, agriculture and technology. Mr. Atin began his legal career as a corporate law associate at Davies Ward Phillips & Vineberg LLP. Mr. Atin holds a Bachelor of Arts from the University of Waterloo and a J.D. from the University of Toronto, Faculty of Law.

### **DR. ANDREAS ROMPEL** VICE PRESIDENT EXPLORATION

Dr. Rompel is a seasoned exploration professional with three decades of exploration experience in a wide range of roles from VP Exploration and Project Manager to Country Manager and Corporate Development. Most recently, Dr. Rompel was the President & CEO of Cobalt Power Group. Dr. Rompel has also worked in a variety of commodities, including precious metals and base metals as well as coking coal and cobalt. For more than a decade, Dr. Rompel evaluated capital projects within Anglo American and was on the board of Spectrem (an Anglo-American Company) as Technical Director.

## Experienced in Mineral Exploration, Development, Construction & Operation

### **RYAN PTOLEMY** CHIEF FINANCIAL OFFICER

Mr. Ptolemy is a CPA, CGA and CFA charter holder and obtained a B.A. from Western University. He serves as CFO to a number of public and private companies in the mining sector, particularly exploration and development stage companies in South America. Mr. Ptolemy formerly served as CFO for an independent investment dealer in Toronto where he was responsible for financial reporting, auditing, budgeting and internal controls.

## Experienced in Mineral Exploration, Development, Construction & Operation

### **BRETT LYNCH.** **EXECUTIVE CHAIRMAN**

Mr. Lynch is a highly experienced international company director and chief executive, with a strong background in mining and mining-related businesses across Australia, Asia and North America and a proven track record in advancing shareholder value. As a senior mining engineer and manager, Mr. Lynch has more than 30 years' experience in the global industry, including previous posts with leading resource companies such as MIM Holdings, New Hope Corporation, Orica and VLI, during which time he was responsible for multi-million dollars international operations. Mr. Lynch's professional qualifications include a Bachelor of Engineering (Mining) (Honours) at the University of Melbourne, a Graduate Diploma of Business (Accounting) at Monash University and a Company Director Diploma from the Australian Institute of Company Directors.

### **RICHARD QUESNEL** **PRESIDENT & CEO | DIRECTOR**

Mr. Quesnel served as President and Chief Executive Officer of Consolidated Thompson Iron Mines of Montreal. He has over 45 years of senior mine management and engineering experience at large gold, copper, nickel and iron ore mining properties in Canada and the Western USA including at Ledcor CMI Limited, JS Redpath Limited, Barrick Goldstrike, Quebec Cartier Mining and Placer Dome. He has successfully developed, commissioned, operated and expanded mining operations, both open pit and underground. He is a Professional Mining Engineer in Quebec and holds a Bachelor of Science degree in Mining Engineering from McGill University.

### **ROBERT BRYCE** **DIRECTOR**

Robert Bryce is a graduate of the University of Toronto (BASc.) and of the University of Western Ontario (MBA) with more than 50 years of practical and executive mining experience at all levels. From 1975 to 1990, he led the Selbaie project from advanced exploration through feasibility to a 7,500 t.p.d. producing mine. From 1990 to 1994 he was VP Mining for Aur Resources, where he led the development of the 4,000 t.p.d. Louvicourt Cu-Zn-Au-Ag mine near Val d'Or, Quebec. Mr. Bryce founded Xemac Resources (now Vision Lithium) in 1996 and presided over the company until 2007. He has served as a director of several publicly listed junior resource companies, and as a technical advisor to others.

## Experienced in Mineral Exploration, Development, Construction & Operation

### **MAXIME LEMIEUX LLB.** **DIRECTOR**

Mr. Lemieux is part of the Corporate Group at MacMillan LLP in Montréal. He is primarily acting for public companies, agents, securities distributors and underwriters in Canada. He has been a member of the Quebec bar since 2006, completed a LL.L and a LL.B at the MBA at Laval University and the Fachhochschule University of Ottawa as well as a Kiel in Germany.



- MANAGEMENT AND BOARD MEMBERS
- PROJECT LOCATION AND RESOURCES DETAILS
- KWAYJIBO SITE AND CORE FACILITY VISIT



Tableau 14.12 – Estimation des ressources de la Zone Josette (Tableau détaillé)

| Ressources minérales |           | Tonnes | OTR Totale | OTR Critique | Par Élément                    |                                |                                |                                |                                |                                |                                |                                |                                |                                |                                |                                |                                |                                |                               | OTR     |         | Par type de produit                                            |                                |                                |
|----------------------|-----------|--------|------------|--------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|-------------------------------|---------|---------|----------------------------------------------------------------|--------------------------------|--------------------------------|
|                      |           |        |            |              | La <sub>2</sub> O <sub>3</sub> | Ce <sub>2</sub> O <sub>3</sub> | Pr <sub>2</sub> O <sub>3</sub> | Nd <sub>2</sub> O <sub>3</sub> | Sm <sub>2</sub> O <sub>3</sub> | Eu <sub>2</sub> O <sub>3</sub> | Gd <sub>2</sub> O <sub>3</sub> | Tb <sub>2</sub> O <sub>3</sub> | Dy <sub>2</sub> O <sub>3</sub> | Ho <sub>2</sub> O <sub>3</sub> | Er <sub>2</sub> O <sub>3</sub> | Tm <sub>2</sub> O <sub>3</sub> | Yb <sub>2</sub> O <sub>3</sub> | Lu <sub>2</sub> O <sub>3</sub> | Y <sub>2</sub> O <sub>3</sub> | Légères | Lourdes | Nd <sub>2</sub> O <sub>3</sub> +Pr <sub>2</sub> O <sub>3</sub> | Tb <sub>2</sub> O <sub>3</sub> | Dy <sub>2</sub> O <sub>3</sub> |
|                      |           | *1 000 | %          | %            | %                              | %                              | %                              | %                              | %                              | %                              | %                              | %                              | %                              | %                              | %                              | %                              | %                              | %                              | %                             | %       | %       | %                                                              | %                              | %                              |
| Josette Nord-Est     | Mesurées  | 1 409  | 3,38       | 1,52         | 0,44                           | 1,03                           | 0,13                           | 0,55                           | 0,12                           | 0,012                          | 0,12                           | 0,019                          | 0,11                           | 0,023                          | 0,06                           | 0,008                          | 0,039                          | 0,004                          | 0,71                          | 2,27    | 1,11    | 0,68                                                           | 0,019                          | 0,11                           |
|                      | Indiquées | 2 728  | 3,44       | 1,54         | 0,45                           | 1,05                           | 0,13                           | 0,56                           | 0,12                           | 0,013                          | 0,12                           | 0,019                          | 0,11                           | 0,024                          | 0,07                           | 0,008                          | 0,04                           | 0,004                          | 0,72                          | 2,31    | 1,13    | 0,69                                                           | 0,019                          | 0,11                           |
|                      | M+I       | 4 138  | 3,42       | 1,53         | 0,45                           | 1,04                           | 0,13                           | 0,56                           | 0,12                           | 0,013                          | 0,12                           | 0,019                          | 0,11                           | 0,024                          | 0,07                           | 0,008                          | 0,04                           | 0,004                          | 0,72                          | 2,3     | 1,12    | 0,69                                                           | 0,019                          | 0,11                           |
|                      | Présumée  | 1 370  | 3,92       | 1,76         | 0,52                           | 1,2                            | 0,15                           | 0,64                           | 0,14                           | 0,014                          | 0,13                           | 0,022                          | 0,13                           | 0,027                          | 0,07                           | 0,01                           | 0,046                          | 0,005                          | 0,82                          | 2,65    | 1,27    | 0,79                                                           | 0,022                          | 0,13                           |
| Josette Sud-Ouest    | Mesurées  | 1 729  | 1,55       | 0,69         | 0,21                           | 0,48                           | 0,06                           | 0,25                           | 0,05                           | 0,005                          | 0,05                           | 0,008                          | 0,05                           | 0,01                           | 0,03                           | 0,004                          | 0,019                          | 0,002                          | 0,32                          | 1,05    | 0,5     | 0,31                                                           | 0,008                          | 0,05                           |
|                      | Indiquées | 2 614  | 1,51       | 0,67         | 0,20                           | 0,47                           | 0,06                           | 0,24                           | 0,05                           | 0,005                          | 0,05                           | 0,008                          | 0,05                           | 0,01                           | 0,03                           | 0,004                          | 0,018                          | 0,002                          | 0,31                          | 1,02    | 0,49    | 0,3                                                            | 0,008                          | 0,05                           |
|                      | M+I       | 4 343  | 1,52       | 0,68         | 0,20                           | 0,47                           | 0,06                           | 0,24                           | 0,05                           | 0,005                          | 0,05                           | 0,008                          | 0,05                           | 0,01                           | 0,03                           | 0,004                          | 0,018                          | 0,002                          | 0,31                          | 1,03    | 0,49    | 0,3                                                            | 0,008                          | 0,05                           |
|                      | Présumée  | 455    | 1,28       | 0,56         | 0,18                           | 0,4                            | 0,05                           | 0,21                           | 0,04                           | 0,004                          | 0,04                           | 0,007                          | 0,04                           | 0,008                          | 0,02                           | 0                              | 0,015                          | 0,002                          | 0,26                          | 0,88    | 0,4     | 0,26                                                           | 0,007                          | 0,04                           |
| Combinées            | Mesurées  | 3 139  | 2,37       | 1,06         | 0,31                           | 0,73                           | 0,09                           | 0,38                           | 0,08                           | 0,008                          | 0,08                           | 0,013                          | 0,08                           | 0,016                          | 0,04                           | 0,006                          | 0,028                          | 0,003                          | 0,50                          | 1,6     | 0,77    | 0,48                                                           | 0,013                          | 0,08                           |
|                      | Indiquées | 5 342  | 2,49       | 1,11         | 0,33                           | 0,77                           | 0,10                           | 0,40                           | 0,09                           | 0,009                          | 0,09                           | 0,014                          | 0,08                           | 0,017                          | 0,05                           | 0,006                          | 0,029                          | 0,003                          | 0,52                          | 1,68    | 0,81    | 0,5                                                            | 0,014                          | 0,08                           |
|                      | M+I       | 8 481  | 2,45       | 1,09         | 0,32                           | 0,75                           | 0,09                           | 0,40                           | 0,08                           | 0,009                          | 0,08                           | 0,013                          | 0,08                           | 0,017                          | 0,05                           | 0,006                          | 0,029                          | 0,003                          | 0,51                          | 1,65    | 0,8     | 0,49                                                           | 0,013                          | 0,08                           |
|                      | Présumée  | 1 826  | 3,26       | 1,46         | 0,43                           | 1,00                           | 0,13                           | 0,53                           | 0,12                           | 0,012                          | 0,11                           | 0,018                          | 0,11                           | 0,022                          | 0,06                           | 0,008                          | 0,038                          | 0,004                          | 0,68                          | 2,21    | 1,06    | 0,66                                                           | 0,018                          | 0,11                           |

Mise en garde et autres informations pertinentes :

1. La viabilité économique de ressources minérales qui ne sont pas des réserves minérales n’a pas été démontrée. L’estimation des ressources minérales pourrait être sérieusement affectée par des enjeux environnementaux, liés aux permis, juridiques, liés aux titres, fiscaux, sociopolitiques, liés à la commercialisation ou d’autres enjeux pertinents.

2. Les ressources minérales ont été estimées en utilisant les normes de l’Institut canadien des mines, de la métallurgie et du pétrole (ICM) sur les définitions des ressources et des réserves minérales préparées par le comité permanent de l’ICM sur les définitions des réserves et adoptées par le conseil de l’ICM le 10 mai 2014.

3. Les ressources minérales présumées comprises dans cette estimation ont un niveau de confiance inférieur à celui qui s’applique aux ressources minérales indiquées et ne doivent pas être converties en réserves minérales. On peut raisonnablement s’attendre à ce que la majorité des ressources minérales présumées atteignent le rang de ressources minérales indiquées à la suite d’une exploration continue.

4. Les formes minières optimisées (FMO) ont été générées à l’aide du module MSO du logiciel Deswik, à partir d’une valeur de coupure de 471\$/t, un taux de récupération de 74.5%, un prix de vente de 67,73 \$/kg d’oxydes de terres rares totales (OTRT). Les ressources ont été estimées à partir de FMO en utilisant la valeur de coupure marginale, laquelle exclut les coûts de minage qui correspondent à une valeur de 386 \$/tonnes.

5. OTRT = La<sub>2</sub>O<sub>3</sub> + Ce<sub>2</sub>O<sub>3</sub> + Pr<sub>2</sub>O<sub>3</sub> + Nd<sub>2</sub>O<sub>3</sub> + Sm<sub>2</sub>O<sub>3</sub> + Eu<sub>2</sub>O<sub>3</sub> + Gd<sub>2</sub>O<sub>3</sub> + Tb<sub>2</sub>O<sub>3</sub> + Dy<sub>2</sub>O<sub>3</sub> + Ho<sub>2</sub>O<sub>3</sub> + Er<sub>2</sub>O<sub>3</sub> + Tm<sub>2</sub>O<sub>3</sub> + Yb<sub>2</sub>O<sub>3</sub> + Lu<sub>2</sub>O<sub>3</sub> + Y<sub>2</sub>O<sub>3</sub>.

6. OTR Critiques = Pr<sub>2</sub>O<sub>3</sub> + Nd<sub>2</sub>O<sub>3</sub> + Tb<sub>2</sub>O<sub>3</sub> + Dy<sub>2</sub>O<sub>3</sub> + Y<sub>2</sub>O<sub>3</sub>.


7. OTR légères = La<sub>2</sub>O<sub>3</sub> + Ce<sub>2</sub>O<sub>3</sub> + Pr<sub>2</sub>O<sub>3</sub> + Nd<sub>2</sub>O<sub>3</sub> + Sm<sub>2</sub>O<sub>3</sub> (tel qu’employé par Hazen Research Inc.).

8. OTR lourdes = Eu<sub>2</sub>O<sub>3</sub> + Gd<sub>2</sub>O<sub>3</sub> + Tb<sub>2</sub>O<sub>3</sub> + Dy<sub>2</sub>O<sub>3</sub> + Ho<sub>2</sub>O<sub>3</sub> + Er<sub>2</sub>O<sub>3</sub> + Tm<sub>2</sub>O<sub>3</sub> + Yb<sub>2</sub>O<sub>3</sub> + Lu<sub>2</sub>O<sub>3</sub> + Y<sub>2</sub>O<sub>3</sub> (tel qu’employé par Hazen Research Inc.).

9. La date d’effet de l’estimation des ressources est le 25 juin 2026.


10. Les chiffres ayant été arrondis, leur somme peut ne pas correspondre aux totaux indiqués.

MINERAL RESOURCE ESTIMATE SUMMARY | EFFECTIVE JUNE 25, 2026  
SOURCE: 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.




SOURCE: 2018 PEA Study for the Kwyjibo Project prepared for SOQUEM by DRA/Met-Chem # : G02187

# KWYJIBO • LONGITUDINALS OF HORIZON JOSETTE



SOURCE : Étude EEP 2018 pour le projet Kwyjibo préparée pour SOQUEM par DRA/Met-Chem n° : G02187


# Critical rare earth ratio of major rare earth deposits worldwide



## Critical Rare Earth Oxides (CREOs)

$\text{Pr}_2\text{O}_3$  - Praseodymium oxide  
 $\text{Nd}_2\text{O}_3$  - Neodymium oxide  
 $\text{Dy}_2\text{O}_3$  - Dysprosium oxide  
 $\text{Tb}_2\text{O}_3$  - Terbium oxide  
 $\text{Y}_2\text{O}_3$  - Yttrium oxide

# KWYJIBO • CROSS SECTION ALONG JOSETTE NORTHEAST ZONE





- MANAGEMENT AND BOARD MEMBERS
- PROJECT LOCATION AND RESOURCES DETAILS
- KWAYJIBO SITE AND CORE FACILITY VISIT

# KWYJIBO • SURFACE SITE VISIT (09/2025)



SOURCE: NORDIQUE/SOQUEM visit to the Kwyjibo Exploration Project (September 2025)

# KWYJIBO • NORDIQUE/SOQUEM CORE SHACK VISIT (09/2025)



Hole 13-112 | 17 meters @ 6.94% TREO


SOURCE: 2018 PEA Study for the Kwyjibo Project prepared for SOQUEM by DRA/Met-Chem #: G02187  
SOURCE: NORDIQUE/SOQUEM visit to the Kwyjibo Core Shack (September 2025)



**Hole 13-69A | One of the holes used for metallurgical testing of mineralized magnetite.**

**Hole was drilled near Hole 13-69 which resulted in 26 meters @ 3.10% TREO**

SOURCE: 2018 PEA Study for the Kwyjibo Project prepared for SOQUEM by DRA/Met-Chem #: G02187  
SOURCE: NORDIQUE/SOQUEM visit to the Kwyjibo Core Shack (September 2025)



# NORDIQUE

C R I T I C A L M E T A L S

## THANK YOU

**e:** [info@nordiquecriticalmetals.com](mailto:info@nordiquecriticalmetals.com)

1000 rue De La Gauchetière Ouest, Suite MZ400,  
Montréal, Québec H3B 0A2, Canada

[www.nordiquecriticalmetals.com](http://www.nordiquecriticalmetals.com)



TSXV: NQC | OTCQB: JORFF | FRA: J6K