



KWYJIBO

RARE EARTH PROJECT

INVESTOR PRESENTATION
AUGUST 2026

TSXV: NQC | OTC: JORFF | FRA: Z36



CAUTIONARY LANGUAGE AND LEGAL DISCLAIMER

This presentation of Consolidated Lithium Metals (“Consolidated” or the “Company”) is for information only and shall not constitute an offer to buy, sell, issue or subscribe for, or the solicitation of an offer to buy, sell or issue, or subscribe for any securities. The information contained herein is subject to change without notice and is based on publicly available information, internally developed data and other sources. Where any opinion or belief is expressed in this presentation, it is based on the assumptions and limitations mentioned herein and is an expression of present opinion or belief only. No warranties or representations can be made as to the origin, validity, accuracy, completeness, currency or reliability of the information. The Company disclaims and excludes all liability (to the extent permitted by law), for losses, claims, damages, demands, costs and expenses of whatever nature arising in any way out of or in connection with the information in this presentation, its accuracy, completeness or by reason of reliance by any person on any of it. This presentation should not be construed as legal, financial, or tax advice to any person, as each person’s circumstances are different. Readers should consult with their own professional advisors regarding their particular circumstances. The information contained in this presentation is not directed to persons or entities resident in the United States and does not constitute an offer or solicitation by anyone in the United States or in any other jurisdiction in which such an offer or solicitation is not authorized or to any person to whom it is unlawful to make such an offer or solicitation, unless otherwise exempt from applicable securities legislation.

FORWARD-LOOKING STATEMENTS

This presentation contains “forward-looking information” within the meaning of applicable Canadian securities laws. Forward-looking information includes, but is not limited to, statements with respect to negotiation of a definitive agreement; the terms and conditions of the earn-in; the potential earn-in of up to 80% interest in the Kwyjibo Project; planned exploration programs, studies, and expenditures; potential development timelines; future demand for rare earth elements; and the strategic importance of the Project. Forward-looking information is subject to known and unknown risks, uncertainties and other factors that may cause actual results, performance or achievements to differ materially, including risks related to: the ability of the Company and SOQUEM to finalize a definitive agreement on acceptable terms; the Company’s ability to fund earn-in expenditures; regulatory approvals; commodity prices; exploration and development risks; environmental and social risks; community and Indigenous relations; and general economic and market conditions. Although the Company believes the expectations expressed in such forward-looking information are reasonable, there can be no assurance that such expectations will prove correct. Forward-looking information is provided as of the date of this presentation, and the Company does not undertake any obligation to update or revise such information except as required by law.

TECHNICAL INFORMATION

The scientific and technical information contained herein has been reviewed and approved by **Serge Perreault P.Geo.**, the Company’s Senior Advisor who is a “Qualified Person” as defined in National Instrument 43-101 – Standards of Disclosure for Mineral Projects.

THIRD PARTY INFORMATION

This presentation contains or references certain information from publicly available sources that the Company believes to be generally reliable; however, except as otherwise set out herein, the Company has not independently verified any of the data from third party sources referred to in this presentation and, accordingly, the accuracy and completeness of such information is not guaranteed.



- NORDIQUE AT A GLANCE
- KWAYJIBO PROJECT SUMMARY
- ENVIRONMENTAL SAFEGUARDS ACROSS THE PROJECT
- LOCAL COMMUNITY DEVELOPMENT PARTNERSHIP
- MOVING FORWARD

- **Nordique Critical Metals Incs (NQC)** is a Canadian junior mining exploration company focused on the exploration and development of critical mineral projects in stable jurisdictions.
- **Lithium properties (6)**: Nordique is exploring 6 Lithium projects (22,825) ha next to North American Lithium Mine, Abitibi, Quebec
- **Rare Earth property (1)**: Nordique/SOQUEM partnership for the Kwyjibo Rare Earth project. Nordique is the project operator with the option to earn up to 80% interest in the Project.

Stock Symbol	TSX.V: NQC
Share Price (08/17/26)	\$0.06 CAD
Shares Issued	546,822,265
Fully diluted	715,350,371
Management	% insider ownership: ~12%
Market cap	\$ 32.81M CAD


Special resolution at AGM | 10th of June 2026:

NQC shareholders approved consolidation of the company's common shares on the basis of up to 20/1 with the final ratio to be determined by the board of directors of the Company.



- NORDIQUE AT A GLANCE
- KWAYJIBO PROJECT SUMMARY
- ENVIRONMENTAL SAFEGUARDS ACROSS THE PROJECT
- LOCAL COMMUNITY DEVELOPMENT PARTNERSHIP
- MOVING FORWARD

KWYJIBO • TWO-SITE DEVELOPMENT CONCEPT



1. KWYJIBO UNDERGROUND MINE SITE

Underground mine • 2.67 ha surface platform

2. HYDROMET COMPLEX (SHELDRAKE)

Crushing • Concentration • Hydrometallurgy • 19 ha

ACCESS ROAD


Dedicated 144 km road connecting both sites

MINE RESIDUE

Additional inert rock mined → creates underground space to return process residues as cemented backfill


SOURCE: 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.

KWYJIBO• MINE SURFACE FOOTPRINT (2.67 ha)



SOURCE: 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.

KWYJIBO• HYDROMETALLURGICAL COMPLEX (19 ha)



SOURCE: 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.


KWYJIBO • MINERAL RESOURCE ESTIMATE FOR JOSETTE COMBINED ZONES



Type	Tonnes	Total TREO	Critical REO	TREO Light	TREO Heavy	Nd2O3 + Pr2O3	Tb2O3	Dy2O3
	*1000	%	%	%	%	%	%	%
Josette North-East								
Measured	1,409	3.38	1.52	2.27	1.11	0.68	0.019	0.11
Indicated	2,728	3.44	1.54	2.31	1.12	0.69	0.019	0.11
M+I	4,137	3.42	1.53	2.30	1.11	0.69	0.019	0.11
Inferred	1,370	3.93	1.76	2.65	1.27	0.79	0.022	0.13
Josette South-West								
Measured	1,729	1.55	0.69	1.05	0.50	0.31	0.008	0.05
Indicated	2,614	1.51	0.67	1.02	0.49	0.30	0.008	0.05
M+I	4,343	1.53	0.68	1.03	0.49	0.30	0.008	0.05
Inferred	455	1.28	0.56	0.88	0.40	0.26	0.007	0.04
Combined								
Measured	3,138	2.37	1.06	1.60	0.77	0.48	0.013	0.08
Indicated	5,342	2.49	1.11	1.68	0.81	0.50	0.014	0.08
M+I	8,480	2.44	1.09	1.65	0.80	0.49	0.013	0.08
Inferred	1,825	3.27	1.46	2.21	1.06	0.66	0.018	0.11


MINERAL RESOURCE ESTIMATE SUMMARY | EFFECTIVE JUNE 25, 2026

SOURCE: 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.




SOURCE: 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.

1,060 t/d DESIGN MINE RATE	10 yr MINE LIFE	75% LOM TREO RECOVERY
387 kt/y ANNUAL THROUGHPUT	3.35% LOM TREO GRADE	9.8 kt/year AVERAGE TREO PRODUCTION




SOURCE (PROCESSING): 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.
SOURCE (HYDROMETALLURGY): SMH PROCESSING (ERIC LAROCHELLE)

KWYJIBO • SIMPLIFIED PROCESSING FLOWCHART




SOURCE (PROCESSING): 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.
SOURCE (HYDROMETALLURGY): SMH PROCESSING (ERIC LAROCHELLE)

KWYJIBO • SIMPLIFIED PROCESSING FLOWCHART







Kwyjibo – Distribution of Rare Earth Oxides



Kwyjibo – Oxide Contribution to basket value



Kwyjibo – Rare Earth Oxides Basket Value Forecast



* Forecasted prices are in Real 2026 U.S. dollars

Source: Adamas Intelligence

Kwyjibo | Production Parameters

Parameter	Unit	Value
Mine life	Years	10
Annual throughput	Ktpa	387
TREO grade, LOM average	% TREO	3.35
TREO recovery, LOM average	%	75.0
Annual production, TREO (average1)	Ktpa	9.8

Kwyjibo | Capital and Operating Cost Estimates

Parameter	Unit	Value
Development Capital	CAD \$M	881
Sustaining Capital	CAD \$M	25.2
Closure Capital	CAD \$M	8.0
Operating Costs	CAD \$/kg TREO	17.5

Notes:

1 – Average production determined considering only full years (where 387 ktpa of feed is processed).

Kwyjibo | Project Economics

Parameter	Units	Pre-Tax	After Tax
Cash flow	CAD \$M	4,843	2,966
NPV @ 8%	CAD \$M	2,403	1,401
IRR	%	46.5	35.4
Payback period	years	1.6	2.0

MINERAL RESOURCE ESTIMATE SUMMARY | EFFECTIVE JUNE 25, 2026

SOURCE FOR PRODUCTION, COSTS, ECONOMICS : 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.

Strong PEA economics supported by a compact, infrastructure-led project concept.



SOURCE: 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.



- NORDIQUE AT A GLANCE
- KWAYJIBO PROJECT SUMMARY
- ENVIRONMENTAL SAFEGUARDS ACROSS THE PROJECT
- LOCAL COMMUNITY DEVELOPMENT PARTNERSHIP
- MOVING FORWARD



1. KWYJIBO UNDERGROUND MINE SITE

Underground mine • 2.67 ha surface platform

2. HYDROMET COMPLEX (SHELDRAKE)

Crushing • Concentration • Hydrometallurgy • 19 ha

ACCESS ROAD

Dedicated 144 km road connecting both sites

INFRASTRUCTURE OUTSIDE PROTECTED ZONES

Mine • Processing complex • Access road
outside mapped biodiversity reserves

2018

Mine + Crusher + Concentrator at Kwyjibo

Hydrometallurgical Complex at Sept-Îles

Non-inert surface residue storage (Th, U, P, S)

Concentrate transported from Mine to Sept-Îles



2026

Crusher + Concentrator moved to Sheldrake (Offsite)

Hydrometallurgical Complex moved to Sheldrake (Offsite)

Non-inert residue returned underground (Th, U, P, S)

Concentrate treated on site at Sheldrake (Not highway 138)

DESIGN INTENT Reduce the mine-site footprint (2.67 Ha) | Optimize residue management | Non-inert residue returned back underground
Th (Thorium) | U (Uranium) | P (Phosphorus) | S (Sulfur) -> Returned underground as backfill @ mine deposit concentrations

NON-INERT RESIDUES FROM CONCENTRATOR & HYDROMETALLURGICAL PLANT




2026 design principle


Avoid permanent surface storage at the Kwyjibo mine site for the selected residue streams returned as backfill.

Further geochemical, hydrogeological and radiological characterization is required in the next study phases.

NON-INERT RESIDUES FROM CONCENTRATOR & HYDROMETALLURGICAL RETURNED UNDERGROUND AS PASTE BACKFILL



ORE-DERIVED SULFUR SUPPORTS ACID REGENERATION • CONTROLLED RESIDUES ARE RETURNED BACK UNDERGROUND MINE AS BACKFILL



CONTROLLED STREAMS • ACID RECOVERY • WATER REUSE •
UNDERGROUND RETURN • ENGINEERED SHELDRAKE STORAGE



LESS SULFUR RETURNED UNDERGROUND THAN BACKGROUND
LESS SULFUR = LESS ACID-GENERATING MATERIAL
REMAINING IN THE RESIDUE STREAM



- NORDIQUE AT A GLANCE
- KWAYJIBO PROJECT SUMMARY
- ENVIRONMENTAL SAFEGUARDS ACROSS THE PROJECT
- LOCAL COMMUNITY DEVELOPMENT PARTNERSHIP
- MOVING FORWARD



Nordique’s objective is to advance Kwyjibo through structured, long-term partnerships with Innu Nations and local communities — extending beyond consultation to meaningful participation as the Project develops.



QUÉBEC PRECEDENT

Recent Côte-Nord examples show that mining proponents and First Nations can use formal engagement and cooperation agreements to establish expectations early, incorporate community input and build a pathway toward longer-term social acceptance and participation.

KWYJIBO • WHAT THE NEXT STUDY PHASE MUST CONFIRM



01 ENGINEERING

- Mine design + schedule
- Road + power design
- Backfill system

02 ENVIRONMENT

- Baseline programs
- Water + hydrogeology
- Geochemistry / DMA

03 PROCESS

- Metallurgical optimization
- Mass balances
- Residue characterization


04 SOCIAL + PERMITTING

- Structured consultation
- Socio-economic baseline
- Authorization strategy




- NORDIQUE AT A GLANCE
- KWAYJIBO PROJECT SUMMARY
- ENVIRONMENTAL SAFEGUARDS ACROSS THE PROJECT
- LOCAL COMMUNITY DEVELOPMENT PARTNERSHIP
- MOVING FORWARD

KWYJIBO • FROM PEA TO FEASIBILITY TECHNICAL REPORT



Nordique prioritizes ongoing consultation with Innu and local communities to help plan, monitor, and operate the Project, while identifying mutually beneficial opportunities and partnerships.

- Ratification of **Definite Agreement** with SOQUEM **(COMPLETED)**
- Completion of **Preliminary Economic Assessment** to evaluate technical, economic, and environmental viability of the Project in 2030 **(COMPLETED)**
- **Consultations** with the Innu of Takuaikan Uashat mak Mani-utenam, the Innu of Ekuanitshit, the Municipality of Rivière-au-Tonnerre **(2026-27)**
- Completion of **Metallurgical study** to confirm environmental viability of extraction and processing of rare earth in **(2026-27)**
- **Environmental permitting** from the Bureau d'accélération de Projets **(2027)**
- Completion of **bankable feasibility study** to evaluate the technical and economic viability of the Project **(2027)**
- **Infrastructure and project construction:** Access road, Electrical transmission line, telecommunication line, Underground mine, and Processing Facility construction **(2027-2030)**



NORDIQUE

C R I T I C A L M E T A L S

THANK YOU

e: info@consolidatedlithium.com

1000 rue De La Gauchetière Ouest, Suite MZ400,
Montréal, Québec H3B 0A2, Canada

www.consolidatedlithium.com



TSXV: NQC | OTCQB: JORFF | FRA: Z36



- MANAGEMENT AND BOARD MEMBERS
- PROJECT LOCATION AND RESOURCES DETAILS
- KWAYJIBO SITE AND CORE FACILITY VISIT

Experienced in Mineral Exploration, Development, Construction & Operation

RICHARD QUESNEL PRESIDENT & CEO

Mr. Quesnel served as President and Chief Executive Officer of Consolidated Thompson Iron Mines of Montreal. He has over 45 years of senior mine management and engineering experience at large gold, copper, nickel and iron ore mining properties in Canada and the Western USA including at Ledcor CMI Limited, JS Redpath Limited, Barrick Goldstrike, Quebec Cartier Mining and Placer Dome. He has successfully developed, commissioned, operated and expanded mining operations, both open pit and underground. He is a Professional Mining Engineer in Quebec and holds a Bachelor of Science degree in Mining Engineering from McGill University.

STEVE SIMARD TECHNICAL ADVISOR - ENGINEERING

Mr. Simard, Eng., has over 25 years of experience in Canada and internationally in various sectors of the mining industry, including the development and operation of open-pit and underground mines. He has been involved in mining projects at different stages, including development, environmental assessment, tailings ponds, construction, and operations. He has contributed to various economic studies, including those for Doré Copper, an underground copper project in Chibougamau, Quebec, Canada, and for Black Rock Metals, an open-pit iron and vanadium mine project, also in Chibougamau. He worked for Consolidated Thompson Iron Mine on the construction and commissioning of the Bloom Lake iron mine in Fermont, Quebec, Canada.

SERGE PERREAULT TECHNICAL ADVISOR - GEOLOGY

Mr. Perreault has over 35 years of senior experience in regional geology, mineral exploration, and project management. He holds both a bachelor's and a master's degree in geology from the University of Montreal. He worked for more than 17 years at Géologie Québec as a regional geologist, resident geologist, and assistant to the general manager. In 2008, he joined SOQUEM as senior project manager, senior geoscientist, and served as interim general manager from February 2020 to January 2021. Since April 2021, Mr. Perreault has contributed to governance and academia as president of the Ordre des géologues du Québec, lecturer in Chibougamau College Studies Centre, contract research officer at URSTM-UQAT, and as member of SOQUEM's technical and MCS Network scientific committees.

Experienced in Mineral Exploration, Development, Construction & Operation

MURRAY BROWN TECHNICAL ADVISOR - METALLURGY

Mr. Brown is a senior metallurgist with over 35 years experience that includes research & development, technical support, operations, and most recently consulting engineering roles, through which he has gained a solid grounding in the extractive metallurgy of copper, zinc, lead, silver, gold, and rare earths. His early career includes 15+ years combined experience with Noranda Minerals Inc. and Teck Metals and he recently completed 15 years as a consultant with BBA Inc. Working collaboratively with recognized experts in the field of chloride (mixed halide) hydrometallurgy with specialization in rare earths, he has acquired an appreciation for the challenges of rare earths processing in remote settings coupled with the associated logistical challenges. He is a member in good standing with the Order of Engineers of Quebec and earned both Bachelor's and Master's degrees in engineering from the (then) Department of Mining & Metallurgy at McGill University.

AARON ATIN CORPORATE SECRETARY

Mr. Atin is a corporate and securities lawyer with securities, mergers and acquisition and corporate finance experience. Mr. Atin is currently a legal consultant to various Toronto Stock Exchange, TSXV and CSE listed companies in various sectors including mining, financial services, agriculture and technology. Mr. Atin began his legal career as a corporate law associate at Davies Ward Phillips & Vineberg LLP. Mr. Atin holds a Bachelor of Arts from the University of Waterloo and a J.D. from the University of Toronto, Faculty of Law.

DR. ANDREAS ROMPEL VICE PRESIDENT EXPLORATION

Dr. Rompel is a seasoned exploration professional with three decades of exploration experience in a wide range of roles from VP Exploration and Project Manager to Country Manager and Corporate Development. Most recently, Dr. Rompel was the President & CEO of Cobalt Power Group. Dr. Rompel has also worked in a variety of commodities, including precious metals and base metals as well as coking coal and cobalt. For more than a decade, Dr. Rompel evaluated capital projects within Anglo American and was on the board of Spectrem (an Anglo-American Company) as Technical Director.

Experienced in Mineral Exploration, Development, Construction & Operation

RYAN PTOLEMY **CHIEF FINANCIAL OFFICER**

Mr. Ptolemy is a CPA, CGA and CFA charter holder and obtained a B.A. from Western University. He serves as CFO to a number of public and private companies in the mining sector, particularly exploration and development stage companies in South America. Mr. Ptolemy formerly served as CFO for an independent investment dealer in Toronto where he was responsible for financial reporting, auditing, budgeting and internal controls.

Experienced in Mineral Exploration, Development, Construction & Operation

BRETT LYNCH. **EXECUTIVE CHAIRMAN**

Mr. Lynch is a highly experienced international company director and chief executive, with a strong background in mining and mining-related businesses across Australia, Asia and North America and a proven track record in advancing shareholder value. As a senior mining engineer and manager, Mr. Lynch has more than 30 years' experience in the global industry, including previous posts with leading resource companies such as MIM Holdings, New Hope Corporation, Orica and VLI, during which time he was responsible for multi-million dollars international operations. Mr. Lynch's professional qualifications include a Bachelor of Engineering (Mining) (Honours) at the University of Melbourne, a Graduate Diploma of Business (Accounting) at Monash University and a Company Director Diploma from the Australian Institute of Company Directors.

RICHARD QUESNEL **PRESIDENT & CEO | DIRECTOR**

Mr. Quesnel served as President and Chief Executive Officer of Consolidated Thompson Iron Mines of Montreal. He has over 45 years of senior mine management and engineering experience at large gold, copper, nickel and iron ore mining properties in Canada and the Western USA including at Ledcor CMI Limited, JS Redpath Limited, Barrick Goldstrike, Quebec Cartier Mining and Placer Dome. He has successfully developed, commissioned, operated and expanded mining operations, both open pit and underground. He is a Professional Mining Engineer in Quebec and holds a Bachelor of Science degree in Mining Engineering from McGill University.

ROBERT BRYCE **DIRECTOR**

Robert Bryce is a graduate of the University of Toronto (BASc.) and of the University of Western Ontario (MBA) with more than 50 years of practical and executive mining experience at all levels. From 1975 to 1990, he led the Selbaie project from advanced exploration through feasibility to a 7,500 t.p.d. producing mine. From 1990 to 1994 he was VP Mining for Aur Resources, where he led the development of the 4,000 t.p.d. Louvicourt Cu-Zn-Au-Ag mine near Val d'Or, Quebec. Mr. Bryce founded Xemac Resources (now Vision Lithium) in 1996 and presided over the company until 2007. He has served as a director of several publicly listed junior resource companies, and as a technical advisor to others.

Experienced in Mineral Exploration, Development, Construction & Operation

MAXIME LEMIEUX LLB. **DIRECTOR**

Mr. Lemieux is part of the Corporate Group at MacMillan LLP in Montréal. He is primarily acting for public companies, agents, securities distributors and underwriters in Canada. He has been a member of the Quebec bar since 2006, completed a LL.L and a LL.B at the MBA at Laval University and the Fachhochschule University of Ottawa as well as a Kiel in Germany.



- MANAGEMENT AND BOARD MEMBERS
- PROJECT LOCATION AND RESOURCES DETAILS
- KWAYJIBO SITE AND CORE FACILITY VISIT



Tableau 14.12 – Estimation des ressources de la Zone Josette (Tableau détaillé)

Ressources minérales		Tonnes	OTR Totale	OTR Critique	Par Élément															OTR		Par type de produit		
					La ₂ O ₃	Ce ₂ O ₃	Pr ₂ O ₃	Nd ₂ O ₃	Sm ₂ O ₃	Eu ₂ O ₃	Gd ₂ O ₃	Tb ₂ O ₃	Dy ₂ O ₃	Ho ₂ O ₃	Er ₂ O ₃	Tm ₂ O ₃	Yb ₂ O ₃	Lu ₂ O ₃	Y ₂ O ₃	Légères	Lourdes	Nd ₂ O ₃ +Pr ₂ O ₃	Tb ₂ O ₃	Dy ₂ O ₃
					%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Josette Nord-Est	Mesurées	1 409	3,38	1,52	0,44	1,03	0,13	0,55	0,12	0,012	0,12	0,019	0,11	0,023	0,06	0,008	0,039	0,004	0,71	2,27	1,11	0,68	0,019	0,11
	Indiquées	2 728	3,44	1,54	0,45	1,05	0,13	0,56	0,12	0,013	0,12	0,019	0,11	0,024	0,07	0,008	0,04	0,004	0,72	2,31	1,13	0,69	0,019	0,11
	M+I	4 138	3,42	1,53	0,45	1,04	0,13	0,56	0,12	0,013	0,12	0,019	0,11	0,024	0,07	0,008	0,04	0,004	0,72	2,3	1,12	0,69	0,019	0,11
	Présumée	1 370	3,92	1,76	0,52	1,2	0,15	0,64	0,14	0,014	0,13	0,022	0,13	0,027	0,07	0,01	0,046	0,005	0,82	2,65	1,27	0,79	0,022	0,13
Josette Sud-Ouest	Mesurées	1 729	1,55	0,69	0,21	0,48	0,06	0,25	0,05	0,005	0,05	0,008	0,05	0,01	0,03	0,004	0,019	0,002	0,32	1,05	0,5	0,31	0,008	0,05
	Indiquées	2 614	1,51	0,67	0,20	0,47	0,06	0,24	0,05	0,005	0,05	0,008	0,05	0,01	0,03	0,004	0,018	0,002	0,31	1,02	0,49	0,3	0,008	0,05
	M+I	4 343	1,52	0,68	0,20	0,47	0,06	0,24	0,05	0,005	0,05	0,008	0,05	0,01	0,03	0,004	0,018	0,002	0,31	1,03	0,49	0,3	0,008	0,05
	Présumée	455	1,28	0,56	0,18	0,4	0,05	0,21	0,04	0,004	0,04	0,007	0,04	0,008	0,02	0	0,015	0,002	0,26	0,88	0,4	0,26	0,007	0,04
Combinées	Mesurées	3 139	2,37	1,06	0,31	0,73	0,09	0,38	0,08	0,008	0,08	0,013	0,08	0,016	0,04	0,006	0,028	0,003	0,50	1,6	0,77	0,48	0,013	0,08
	Indiquées	5 342	2,49	1,11	0,33	0,77	0,10	0,40	0,09	0,009	0,09	0,014	0,08	0,017	0,05	0,006	0,029	0,003	0,52	1,68	0,81	0,5	0,014	0,08
	M+I	8 481	2,45	1,09	0,32	0,75	0,09	0,40	0,08	0,009	0,08	0,013	0,08	0,017	0,05	0,006	0,029	0,003	0,51	1,65	0,8	0,49	0,013	0,08
	Présumée	1 826	3,26	1,46	0,43	1,00	0,13	0,53	0,12	0,012	0,11	0,018	0,11	0,022	0,06	0,008	0,038	0,004	0,68	2,21	1,06	0,66	0,018	0,11

Mise en garde et autres informations pertinentes :

1. La viabilité économique de ressources minérales qui ne sont pas des réserves minérales n'a pas été démontrée. L'estimation des ressources minérales pourrait être sérieusement affectée par des enjeux environnementaux, liés aux permis, juridiques, liés aux titres, fiscaux, sociopolitiques, liés à la commercialisation ou d'autres enjeux pertinents.

2. Les ressources minérales ont été estimées en utilisant les normes de l'Institut canadien des mines, de la métallurgie et du pétrole (ICM) sur les définitions des ressources et des réserves minérales préparées par le comité permanent de l'ICM sur les définitions des réserves et adoptées par le conseil de l'ICM le 10 mai 2014.

3. Les ressources minérales présumées comprises dans cette estimation ont un niveau de confiance inférieur à celui qui s'applique aux ressources minérales indiquées et ne doivent pas être converties en réserves minérales. Il est raisonnable de s'attendre à ce que la majorité des ressources minérales présumées puissent être converties en ressources minérales indiquées suivant des travaux d'exploration plus poussés.

4. OTRT = La₂O₃ + Ce₂O₃ + Pr₂O₃ + Nd₂O₃ + Sm₂O₃ + Eu₂O₃ + Gd₂O₃ + Tb₂O₃ + Dy₂O₃ + Ho₂O₃ + Er₂O₃ + Tm₂O₃ + Yb₂O₃ + Lu₂O₃ + Y₂O₃

5. OTR Critiques = Pr₂O₃ + Nd₂O₃ + Tb₂O₃ + Dy₂O₃ + Y₂O₃

6. OTR légères = La₂O₃ + Ce₂O₃ + Pr₂O₃ + Nd₂O₃ + Sm₂O₃ (tel qu'employé par Hazen Research Inc.)


7. OTR lourdes = Eu₂O₃ + Gd₂O₃ + Tb₂O₃ + Dy₂O₃ + Ho₂O₃ + Er₂O₃ + Tm₂O₃ + Yb₂O₃ + Lu₂O₃ + Y₂O₃ (tel qu'employé par Hazen Research Inc.)

8. La date d'effet de l'estimation des ressources est le 25 juin 2026.

9. Les chiffres ayant été arrondis, leur somme peut ne pas correspondre aux totaux indiqués.

MINERAL RESOURCE ESTIMATE SUMMARY | EFFECTIVE JUNE 25, 2026
SOURCE: 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.


KWYJIBO • PROJECT DRILLHOLE LOCATIONS • JOSETTE NORTHEAST | SOUTHWEST



SOURCE: 2018 PEA Study for the Kwyjibo Project prepared for SOQUEM by DRA/Met-Chem # : G02187




© 2026 NORDIQUE CRITICAL METALS 3



SOURCE : Étude EEP 2018 pour le projet Kwjibo préparée pour SOQUEM par DRA/Met-Chem n° : G02187

KWYJIBO • CROSS SECTION ALONG JOSETTE NORTHEAST ZONE





- MANAGEMENT AND BOARD MEMBERS
- PROJECT LOCATION AND RESOURCES DETAILS
- KWAYJIBO SITE AND CORE FACILITY VISIT

KWYJIBO • SURFACE SITE VISIT (09/2025)



SOURCE: NORDIQUE/SOQUEM visit to the Kwyjibo Exploration Project (September 2025)

KWYJIBO • NORDIQUE/SOQUEM CORE SHACK VISIT (09/2025)



Hole 13-112 | 17 meters @ 6.94% TREO


SOURCE: 2018 PEA Study for the Kwajibo Project prepared for SOQUEM by DRA/Met-Chem #: G02187
SOURCE: NORDIQUE/SOQUEM visit to the Kwajibo Core Shack (September 2025)



Hole 13-69A | One of the holes used for metallurgical testing of mineralized magnetite.

Hole was drilled near Hole 13-69 which resulted in 26 meters @ 3.10% TREO

SOURCE: 2018 PEA Study for the Kwyjibo Project prepared for SOQUEM by DRA/Met-Chem #: G02187
SOURCE: NORDIQUE/SOQUEM visit to the Kwyjibo Core Shack (September 2025)



NORDIQUE

C R I T I C A L M E T A L S

THANK YOU

e: info@consolidatedlithium.com

1000 rue De La Gauchetière Ouest, Suite MZ400,
Montréal, Québec H3B 0A2, Canada

www.consolidatedlithium.com



TSXV: NQC | OTCQB: JORFF | FRA: Z36