NORDIQUE
CRITICAL METALS

KWYJIBO
RARE EARTH PROJECT

INVESTOR PRESENTATION
NOVEMBER 2026

TSXV: NQC | OTC: JORFF | FRA: J6K



LEGAL DISCLAIMER

CAUTIONARY LANGUAGE AND LEGAL DISCLAIMER

This presentation of Consolidated Lithium Metals ("Consolidated" or the "Company") is for information only and shall not constitute an offer to buy, sell, issue or subscribe for, or the solicitation of an offer to buy, sell or issue, or subscribe for any securities. The information contained herein is subject to change without notice and is based on publicly available information, internally developed data and other sources. Where any opinion or belief is expressed in this presentation, it is based on the assumptions and limitations mentioned herein and is an expression of present opinion or belief only. No warranties or representations can be made as to the origin, validity, accuracy, completeness, currency or reliability of the information. The Company disclaims and excludes all liability (to the extent permitted by law), for losses, claims, damages, demands, costs and expenses of whatever nature arising in any way out of or in connection with the information in this presentation, its accuracy, completeness or by reason of reliance by any person on any of it. This presentation should not be construed as legal, financial, or tax advice to any person, as each person's circumstances are different. Readers should consult with their own professional advisors regarding their particular circumstances. The information contained in this presentation is not directed to persons or entities resident in the United States and does not constitute an offer or solicitation by anyone in the United States or in any other jurisdiction in which such an offer or solicitation is not authorized or to any person to whom it is unlawful to make such an offer or solicitation, unless otherwise exempt from applicable securities legislation.

FORWARD-LOOKING STATEMENTS

This presentation contains "forward-looking information" within the meaning of applicable Canadian securities laws. Forward-looking information includes, but is not limited to, statements with respect to negotiation of a definitive agreement; the terms and conditions of the earn-in; the potential earn-in of up to 80% interest in the Kwyjibo Project; planned exploration programs, studies, and expenditures; potential development timelines; future demand for rare earth elements; and the strategic importance of the Project. Forward-looking information is subject to known and unknown risks, uncertainties and other factors that may cause actual results, performance or achievements to differ materially, including risks related to: the ability of the Company and SOQUEM to finalize a definitive agreement on acceptable terms; the Company's ability to fund earn-in expenditures; regulatory approvals; commodity prices; exploration and development risks; environmental and social risks; community and Indigenous relations; and general economic and market conditions. Although the Company believes the expectations expressed in such forward-looking information are reasonable, there can be no assurance that such expectations will prove correct. Forward-looking information is provided as of the date of this presentation, and the Company does not undertake any obligation to update or revise such information except as required by law.

TECHNICAL INFORMATION

The scientific and technical information contained herein has been reviewed and approved by **Serge Perreault P.Geo**., the Company's Senior Advisor who is a "Qualified Person" as defined in National Instrument 43-101 – Standards of Disclosure for Mineral Projects.

THIRD PARTY INFORMATION

This presentation contains or references certain information from publicly available sources that the Company believes to be generally reliable; however, except as otherwise set out herein, the Company has not independently verified any of the data from third party sources referred to in this presentation and, accordingly, the accuracy and completeness of such information is not guaranteed.

© 2026 NORDIQUE CRITICAL METALS

NORDIQUE CRITICAL METALS • AGENDA



- NORDIQUE AT A GLANCE
- KWYJIBO PROJECT SUMMARY
- ENVIRONMENTAL SAFEGUARDS ACROSS THE PROJECT
- LOCAL COMMUNITY DEVELOPMENT PARTNERSHIP
- MOVING FORWARD

© 2026 NORDIQUE CRITICAL METALS

NORDIQUE CRITICAL METALS • AT A GLANCE

- **Nordique Critical Metals Incs (NQC)** is a Canadian junior mining exploration company focused on the exploration and development of critical mineral projects in stable jurisdictions.
- **Lithium properties (6):** Nordique is exploring 6 Lithium projects (22,825) ha next to North American Lithium Mine, Abitibi, Quebec
- **Rare Earth property (1):** Nordique/SOQUEM partnership for the Kwyjibo Rare Earth project. Nordique is the project operator with the option to earn up up to 80% interest in the Project.

Stock Symbol	TSX.V: NQC
Share Price (09/24/26)	$0.075 CAD
Shares Issued	546,822,265
Fully diluted	724,275,371
Management	% insider ownership: ~12%
Market cap	**$ 41.01 M CAD**

Special resolution at AGM | 10th of June 2026:
NQC shareholders approved consolidation of the company's common shares on the basis of up to 20/1 with the final ratio to be determined by the board of directors of the Company.

© 2026 NORDIQUE CRITICAL METALS


NORDIQUE CRITICAL METALS • AGENDA



- NORDIQUE AT A GLANCE
- KWYJIBO PROJECT SUMMARY
- ENVIRONMENTAL SAFEGUARDS ACROSS THE PROJECT
- LOCAL COMMUNITY DEVELOPMENT PARTNERSHIP
- MOVING FORWARD

© 2026 NORDIQUE CRITICAL METALS

KWYJIBO • TWO-SITE DEVELOPMENT CONCEPT



SOURCE: 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.

1. KWYJIBO UNDERGROUND MINE SITE

Underground mine • 2.67 ha surface platform

2. HYDROMET COMPLEX (SHELDRAKE)

Crushing • Concentration • Hydrometallurgy • 11.34 ha

ACCESS ROAD


Dedicated 144 km road connecting both sites


NO SURFACE TAILINGS

> **Mine site:** No surface tailings storage.
> **Processing plant:** Engineering assessment underway to eliminate surface tailings storage.
> **Underground return:** Targeting the return of all project residues underground as cemented paste backfill, at concentrations comparable to those naturally present in the rock before mining.

© 2026 NORDIQUE CRITICAL METALS

KWYJIBO • EMPREINTE EN SURFACE DE LA MINE (2,67 ha)







SOURCE : ÉTUDE EEP 2026 POUR LE PROJET KWYJIBO, PRÉPARÉE POUR NORDIQUE MÉTAUX CRITIQUES INC. PAR DRA AMERICAS INC.

© 2026 NORDIQUE CRITICAL METALS

KWYJIBO • EMPREINTE EN SURFACE DE LA MINE (2,67 ha) vs Place Sept-Îles (5.78 ha)






SOURCE : ÉTUDE EEP 2026 POUR LE PROJET KWYJIBO, PRÉPARÉE POUR NORDIQUE MÉTAUX CRITIQUES INC. PAR DRA AMERICAS INC.


© 2026 NORDIQUE CRITICAL METALS

KWYJIBO• HYDROMETALLURGICAL COMPLEX (11.86 ha)



SOURCE: 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.

© 2026 NORDIQUE CRITICAL METALS



Engineering assessment underway to optimize the process → Targeting the return of all project residues underground

© 2026 NORDIQUE CRITICAL METALS


KWYJIBO • MINERAL RESOURCE ESTIMATE FOR JOSETTE COMBINED ZONES

Type	Tonnes	Total TREO	Critical REO	TREO Light	TREO Heavy	Nd2O3 + Pr2O3	Tb2O3	Dy2O3
	*1000	%	%	%	%	%	%	%
Josette North-East								
Measured	1,409	3.38	1.52	2.27	1.11	0.68	0.019	0.11
Indicated	2,728	3.44	1.54	2.31	1.12	0.69	0.019	0.11
M+I	4,137	3.42	1.53	2.30	1.11	0.69	0.019	0.11
Inferred	1,370	3.93	1.76	2.65	1.27	0.79	0.022	0.13
Josette South-West								
Measured	1,729	1.55	0.69	1.05	0.50	0.31	0.008	0.05
Indicated	2,614	1.51	0.67	1.02	0.49	0.30	0.008	0.05
M+I	4,343	1.53	0.68	1.03	0.49	0.30	0.008	0.05
Inferred	455	1.28	0.56	0.88	0.40	0.26	0.007	0.04
Combined								
Measured	3,138	2.37	1.06	1.60	0.77	0.48	0.013	0.08
Indicated	5,342	2.49	1.11	1.68	0.81	0.50	0.014	0.08
M+I	8,480	2.44	1.09	1.65	0.80	0.49	0.013	0.08
Inferred	1,825	3.27	1.46	2.21	1.06	0.66	0.018	0.11

MINERAL RESOURCE ESTIMATE SUMMARY | EFFECTIVE JUNE 25, 2026
SOURCE: 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.

© 2026 NORDIQUE CRITICAL METALS

KWYJIBO • COMPACT UNDERGROUND MINE • INITIALLY MINING JOSETTE NORTHEAST



SOURCE: 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.

1,060 t/d DESIGN MINE RATE	10 yr MINE LIFE	75% LOM TREO RECOVERY
387 kt/y ANNUAL THROUGHPUT	3.35% LOM TREO GRADE	9.8 kt/year AVERAGE TREO PRODUCTION

© 2026 NORDIQUE CRITICAL METALS

KWYJIBO • PROCESSING & SEPARATION OF RARE EARTHS

ORE
387 kt/y
→
CRUSH + GRIND
48 microns
→
MAGNETIC SEPARATION
600 gauss + recovery
→
HYDROMET
REE extraction
→
RARE EARTH OXIDES
~10 kt/y capacity

95.5%
REE RECOVERY TO NON-MAG CONCENTRATE


~45%
MASS PULL TO NON-MAG CONCENTRATE

~78%
CUMULATIVE TREO+Y HYDROMET RECOVERY

SOURCE (PROCESSING): 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.
SOURCE (HYDROMETTALURGY): SMH PROCESSING (ERIC LAROCHELLE)

© 2026 NORDIQUE CRITICAL METALS


KWYJIBO • SIMPLIFIED PROCESSING FLOWCHART



SOURCE (PROCESSING): 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.
SOURCE (HYDROMETTALURGY): SMH PROCESSING (ERIC LAROCHELLE)

© 2026 NORDIQUE CRITICAL METALS

KWYJIBO • SIMPLIFIED PROCESSING FLOWCHART



Engineering assessment underway to optimize the process → Targeting the return of all project residues underground


Engineering assessment underway to optimize the process → Targeting the return of all project residues underground

SOURCE (PROCESSING): 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.
SOURCE (HYDROMETTALURGY): SMH PROCESSING (ERIC LAROCHELLE)


© 2026 NORDIQUE CRITICAL METALS

KWYJIBO • RARE EARTH DISTRIBUTION (Source: Adamas Intelligence | March 2026)


Kwyjibo – Distribution of Rare Earth Oxides



Kwyjibo – Oxide Contribution to basket value



Kwyjibo – Rare Earth Oxides Basket Value Forecast



	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040
Base	$52.85	$57.25	$62.15	$68.61	$74.70	$73.45	$69.22	$68.11	$67.55	$66.99	$66.99
Upside	$59.54	$65.03	$70.97	$78.70	$85.68	$84.28	$79.45	$78.17	$77.53	$76.90	$76.90
Downside	$41.64	$44.66	$48.41	$53.33	$58.16	$57.32	$53.95	$53.08	$52.55	$52.20	$52.20

* Forecasted prices are in Real 2026 U.S. dollars

Source: Adamas Intelligence

© 2026 NORDIQUE CRITICAL METALS

KWYJIBO • PROJECT PRODUCTION | COSTS | ECONOMICS

Kwyjibo | Production Parameters		
Parameter	**Unit**	**Value**
Mine life	Years	10
Annual throughput	Ktpa	387
TREO grade, LOM average	% TREO	3.35
TREO recovery, LOM average	%	75.0
Annual production, TREO (average1)	Ktpa	9.8

Kwyjibo | Capital and Operating Cost Estimates		
Parameter	**Unit**	**Value**
Development Capital	CAD $M	881
Sustaining Capital	CAD $M	25.2
Closure Capital	CAD $M	8.0
Operating Costs	CAD $/kg TREO	17.5

Notes:
1 – Average production determined considering only full years (where 387 ktpa of feed is processed).

Kwyjibo | Project Economics			
Parameter	**Units**	**Pre-Tax**	**After Tax**
Cash flow	CAD $M	4,843	2,966
NPV @ 8%	CAD $M	2,403	1,401
IRR	%	46.5	35.4
Payback period	years	1.6	2.0

SUMMARY OF THE MINERAL RESOURCE ESTIMATE | EFFECTIVE JUNE 25, 2026
SOURCE OF PRODUCTION, COST AND ECONOMIC DATA: 2026 PEA FOR THE KWYJIBO PROJECT, PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.

MINERAL RESOURCE ESTIMATE SUMMARY | EFFECTIVE JUNE 25, 2026
SOURCE FOR PRODUCTION, COSTS, ECONOMICS : 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.

© 2026 NORDIQUE CRITICAL METALS

KWYJIBO • PROJECT SUMMARY

Strong PEA economics supported by a compact, infrastructure-led project concept.

46.5% PRE-TAX IRR	**35.4%** AFTER-TAX IRR	**2.0 yr** AFTER-TAX PAYBACK	**10 yr** MINE LIFE
~9.8 kt/y AVERAGE TREO PRODUCTION	**17.5 CAD $/kg TREO** KWYJIBO PROJECT OPERATING COSTS	**79.58 CAD $/kg TREO** RARE EARTH OXIDE PRICE	**~35 MW** ESTIMATED PROJECT POWER

SOURCE: 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.

© 2026 NORDIQUE CRITICAL METALS

NORDIQUE CRITICAL METALS • AGENDA



- NORDIQUE AT A GLANCE
- KWYJIBO PROJECT SUMMARY
- ENVIRONMENTAL SAFEGUARDS ACROSS THE PROJECT
- LOCAL COMMUNITY DEVELOPMENT PARTNERSHIP
- MOVING FORWARD

© 2026 NORDIQUE CRITICAL METALS

KWYJIBO • PROJECT INFRASTRUCTURE OUTSIDE PROTECTED ZONES



1. KWYJIBO UNDERGROUND MINE SITE

Underground mine • 2.67 ha surface platform

2. HYDROMET COMPLEX (SHELDRAKE)

Crushing • Concentration • Hydrometallurgy • 11.86 ha

ACCESS ROAD

Dedicated 144 km road connecting both sites

INFRASTRUCTURE OUTSIDE PROTECTED ZONES

Mine • Processing complex • Access road outside mapped biodiversity zones

© 2026 NORDIQUE CRITICAL METALS

KWYJIBO • 2018 → 2026 • PRINCIPAL MODIFICATIONS MADE TO THE PROJECT

2018		2026
Mine + Crusher + Concentrator at Kwyjibo (21 ha)	→	No Crusher and Concentrator at Kwyjibo Mine (2.67 ha)
Hydromallurgical Complex at Sept-Îles (13.25 ha)	→	Hydromallurgical Complex at Sheldrake (11.86 ha)
Residue storage at surface (Th, U, P, S)	→	No surface residue storage • All residues return underground (Th, U, P, S)
Concentrate transport from: Kwyjibo to Sept-Îles	→	Raw ore transport from: Kwyjibo to Hydromallurgical Complex


CONCEPT OBJECTIVE

1. Reducing surface footprint
2. Eliminate surface storage of all project residues
3. Reintroducing all residues back underground -> Th (thorium) | U (uranium) | P (phosphore) | S (soufre) as cemented paste backfill, at concentrations comparable to those naturally occurring in the orebody.

© 2026 NORDIQUE CRITICAL METALS

KWYJIBO • RESIDUE MANAGEMENT MOVES UNDERGROUND

RESIDUES FROM CONCENTRATOR & HYDROMETALLURGICAL PLANT



2026 design principle


Eliminate permanent surface storage at the Kwyjibo mine site for the residue returned as backfill.

Further geochemical, hydrogeological and radiological characterization is required in the next study phases.

© 2026 NORDIQUE CRITICAL METALS

KWYJIBO • RESIDUE MANAGEMENT MOVES UNDERGROUND

RESIDUE FROM CONCENTRATOR & HYDROMETALLURGICAL RETURNED UNDERGROUND AS PASTE BACKFILL



© 2026 NORDIQUE CRITICAL METALS

NORDIQUE CRITICAL METALS • AGENDA



- NORDIQUE AT A GLANCE
- KWYJIBO PROJECT SUMMARY
- ENVIRONMENTAL SAFEGUARDS ACROSS THE PROJECT
- LOCAL COMMUNITY DEVELOPMENT PARTNERSHIP
- MOVING FORWARD

© 2026 NORDIQUE CRITICAL METALS

KWYJIBO • POTENTIAL PARTNERSHIP WITH LOCAL COMMUNITY

Nordique's objective is to advance Kwyjibo through structured, long-term partnerships with Innu Nations and local communities — extending beyond consultation to meaningful participation as the Project develops.

01

DEVELOPMENT

Work together as engineering advances so local knowledge, land use and community priorities can inform project planning.

02

MONITORING

Create opportunities for community participation in environmental follow-up, field programs and long-term stewardship.

03

PARTICIPATION

Prioritize pathways for training, employment, local procurement and community businesses throughout development and operations.

04

SHARED BENEFITS

Work toward mutually beneficial arrangements that allow communities to participate in the long-term value created by the Project.

QUÉBEC PRECEDENT Recent Côte-Nord examples show that mining proponents and First Nations can use formal engagement and cooperation agreements to establish expectations early, incorporate community input and build a pathway toward longer-term social acceptance and participation.

© 2026 NORDIQUE CRITICAL METALS

KWYJIBO • WHAT THE NEXT STUDY PHASE MUST CONFIRM

01 ENGINEERING

- Mine design + schedule
- Road + power design
- Backfill system

02 ENVIRONMENT

- Baseline programs
- Water + hydrogeology
- Geochemistry

03 PROCESS

- Metallurgical optimization
- Mass balances
- Residue characterization

04 SOCIAL + PERMITTING

- Structured consultation
- Socio-economic baseline
- Authorization strategy

© 2026 NORDIQUE CRITICAL METALS


NORDIQUE CRITICAL METALS • AGENDA



- NORDIQUE AT A GLANCE
- KWYJIBO PROJECT SUMMARY
- ENVIRONMENTAL SAFEGUARDS ACROSS THE PROJECT
- LOCAL COMMUNITY DEVELOPMENT PARTNERSHIP
- MOVING FORWARD

© 2026 NORDIQUE CRITICAL METALS

KWYJIBO • FROM PEA TO FEASIBILITY TECHNICAL REPORT



Nordique prioritizes ongoing consultation with Innu and local communities to help plan, monitor, and operate the Project, while identifying mutually beneficial opportunities and partnerships.

© 2026 NORDIQUE CRITICAL METALS

KWYJIBO • NEARTERM PROJECT MILESTONES

- Ratification of **Definite Agreement** with SOQUEM **(COMPLETED)**
- Completion of **Preliminary Economic Assessment** to evaluate technical, economic, and enviromental viability of the Project in 2030 **(COMPLETED)**
- **Consultations** with the Innu of Takuaikan Uashat mak Mani-utenam, the Innu of Ekuanitshit, the Municipality of Rivière-au-Tonnerre **(2026-27)**
- Completion of **Metallurgical study** to confirm environmental viability of extraction and processing optimization of rare earth in **(2026-27)**
- **Environmental permitting** from the Bureau d'accélération de Projets **(2027)**
- Completion of **bankable feasibility study** to evaluate the technical and economic viability of the Project **(2027)**
- **Infrastructure and project construction:** Access road, Electrical transmission line, telecommunication line, Underground mine, and Processing Facility construction **(2027-2030)**

© 2026 NORDIQUE CRITICAL METALS



NORDIQUE
CRITICAL METALS

THANK YOU

e: info@nordiquecriticalmetals.com

1000 rue De La Gauchetière Ouest, Suite MZ400,
Montréal, Québec H3B 0A2, Canada

www.nordiquecriticalmetals.com

TSXV: NQC | OTCQB: JORFF | FRA: J6K



- MANAGEMENT AND BOARD MEMBERS
- PROJECT LOCATION AND RESOURCES DETAILS
- KWYJIBO SITE AND CORE FACILITY VISIT

© 2026 NORDIQUE CRITICAL METALS

Experienced in Mineral Exploration, Development, Construction & Operation

RICHARD QUESNEL
PRESIDENT & CEO

Mr. Quesnel served as President and Chief Executive Officer of Consolidated Thompson Iron Mines of Montreal. He has over 45 years of senior mine management and engineering experience at large gold, copper, nickel and iron ore mining properties in Canada and the Western USA including at Ledcor CMI Limited, JS Redpath Limited, Barrick Goldstrike, Quebec Cartier Mining and Placer Dome He has successfully developed, commissioned, operated and expanded mining operations, both open pit and underground. He is a Professional Mining Engineer in Quebec and holds a Bachelor of Science degree in Mining Engineering from McGill University.

STEVE SIMARD
TECHNICAL ADVISOR - ENGINEERING

Mr. Simard, Eng., has over 25 years of experience in Canada and internationally in various sectors of the mining industry, including the development and operation of open-pit and underground mines. He has been involved in mining projects at different stages, including development, environmental assessment, tailings ponds, construction, and operations. He has contributed to various economic studies, including those for Doré Copper, an underground copper project in Chibougamau, Quebec, Canada, and for Black Rock Metals, an open-pit iron and vanadium mine project, also in Chibougamau. He worked for Consolidated Thompson Iron Mine on the construction and commissioning of the Bloom Lake iron mine in Fermont, Quebec, Canada.

SERGE PERREAULT
TECHNICAL ADVISOR - GEOLOGY

Mr. Perreault has over 35 years of senior experience in regional geology, mineral exploration, and project management. He holds both a bachelor's and a master's degree in geology from the University of Montreal. He worked for more than 17 years at Géologie Québec as a regional geologist, resident geologist, and assistant to the general manager.In 2008, he joined SOQUEM as senior project manager, senior geoscientist, and served as interim general manager from February 2020 to January 2021. Since April 2021, Mr. Perreault has contributed to governance and academia as president of the Ordre des géologues du Québec, lecturer in Chibougamau College Studies Centre, contract research officer at URSTM-UQAT, and as member of SOQUEM's technical and MCS Network scientific committees.

© 2026 NORDIQUE CRITICAL METALS

Experienced in Mineral Exploration, Development, Construction & Operation

MURRAY BROWN
TECHNICAL ADVISOR - METALLURGY

Mr. Brown is a senior metallurgist with over 35 years experience that includes research & development, technical support, operations, and most recently consulting engineering roles, through which he has gained a solid grounding in the extractive metallurgy of copper, zinc, lead, silver, gold, and rare earths. His early career includes 15+ years combined experience with Noranda Minerals Inc. and Teck Metals and he recently completed 15 years as a consultant with BBA Inc. Working collaboratively with recognized experts in the field of chloride (mixed halide) hydrometallurgy with specialization in rare earths, he has acquired an appreciation for the challenges of rare earths processing in remote settings coupled with the associated logistical challenges. He is a member in good standing with the Order of Engineers of Quebec and earned both Bachelor's and Master's degrees in engineering from the (then) Department of Mining & Metallurgy at McGill University.

AARON ATIN
CORPORATE SECRETARY

Mr. Atin is a corporate and securities lawyer with securities, mergers and acquisition and corporate finance experience. Mr. Atin is currently a legal consultant to various Toronto Stock Exchange, TSXV and CSE listed companies in various sectors including mining, financial services, agriculture and technology. Mr. Atin began his legal career as a corporate law associate at Davies Ward Phillips & Vineberg LLP. Mr. Atin holds a Bachelor of Arts from the University of Waterloo and a J.D. from the University of Toronto, Faculty of Law.

DR. ANDREAS ROMPEL
VICE PRESIDENT EXPLORATION

Dr. Rompel is a seasoned exploration professional with three decades of exploration experience in a wide range of roles from VP Exploration and Project Manager to Country Manager and Corporate Development. Most recently, Dr. Rompel was the President & CEO of Cobalt Power Group. Dr. Rompel has also worked in a variety of commodities, including precious metals and base metals as well as coking coal and cobalt. For more than a decade, Dr. Rompel evaluated capital projects within Anglo American and was on the board of Spectrem (an Anglo-American Company) as Technical Director.

© 2026 NORDIQUE CRITICAL METALS

Experienced in Mineral Exploration, Development, Construction & Operation

RYAN PTOLEMY
CHIEF FINANCIAL OFFICER

Mr. Ptolemy is a CPA, CGA and CFA charter holder and obtained a B.A. from Western University. He serves as CFO to a number of public and private companies in the mining sector, particularly exploration and development stage companies in South America. Mr. Ptolemy formerly served as CFO for an independent investment dealer in Toronto where he was responsible for financial reporting, auditing, budgeting and internal controls.

© 2026 NORDIQUE CRITICAL METALS

Experienced in Mineral Exploration, Development, Construction & Operation

BRETT LYNCH.
EXECUTIVE CHAIRMAN

Mr. Lynch is a highly experienced international company director and chief executive, with a strong background in mining and mining-related businesses across Australia, Asia and North America and a proven track record in advancing shareholder value. As a senior mining engineer and manager, Mr. Lynch has more than 30 years' experience in the global industry, including previous posts with leading resource companies such as MIM Holdings, New Hope Corporation, Orica and VLI, during which time he was responsible for multi-million dollars international operations. Mr. Lynch's professional qualifications include a Bachelor of Engineering (Mining) (Honours) at the University of Melbourne, a Graduate Diploma of Business (Accounting) at Monash University and a Company Director Diploma from the Australian Institute of Company Directors.

RICHARD QUESNEL
PRESIDENT & CEO | DIRECTOR

Mr. Quesnel served as President and Chief Executive Officer of Consolidated Thompson Iron Mines of Montreal. He has over 45 years of senior mine management and engineering experience at large gold, copper, nickel and iron ore mining properties in Canada and the Western USA including at Ledcor CMI Limited, JS Redpath Limited, Barrick Goldstrike, Quebec Cartier Mining and Placer Dome He has successfully developed, commissioned, operated and expanded mining operations, both open pit and underground. He is a Professional Mining Engineer in Quebec and holds a Bachelor of Science degree in Mining Engineering from McGill University.

ROBERT BRYCE
DIRECTOR

Robert Bryce is a graduate of the University of Toronto (BASc.) and of the University of Western Ontario (MBA) with more than 50 years of practical and executive mining experience at all levels. From 1975 to 1990, he led the Selbaie project from advanced exploration through feasibility to a 7,500 t.p.d. producing mine. From 1990 to 1994 he was VP Mining for Aur Resources, where he led the development of the 4,000 t.p.d. Louvicourt Cu-Zn-Au-Ag mine near Val d'Or, Quebec. Mr. Bryce founded Xemac Resources (now Vision Lithium) in 1996 and presided over the company until 2007. He has served as a director of several publicly listed junior resource companies, and as a technical advisor to others.

© 2026 NORDIQUE CRITICAL METALS

Experienced in Mineral Exploration, Development, Construction & Operation

MAXIME LEMIEUX LLB.
DIRECTOR

Mr. Lemieux is part of the Corporate Group at MacMillan LLP in Montréal. He is primarily acting for public companies, agents, securities distributors and underwriters in Canada, He has been a member of the Quebec bar since 2006, completed a LL.L and a LL.B at the MBA at Laval University and the Fachhoschule University of Ottawa as well as a Kiel in Germany.

© 2026 NORDIQUE CRITICAL METALS



- MANAGEMENT AND BOARD MEMBERS
- PROJECT LOCATION AND RESOURCES DETAILS
- KWYJIBO SITE AND CORE FACILITY VISIT

© 2026 NORDIQUE CRITICAL METALS

KWYJIBO• MINERAL RESOURCE ESTIMATE

Tableau 14.12 – Estimation des ressources de la Zone Josette (Tableau détaillé)

Ressources minérales		Tonnes	OTR Totale	OTR Critique	Par Élément															OTR		Par type de produit		
					La_2O_3	Ce_2O_3	Pr_2O_3	Nd_2O_3	Sm_2O_3	Eu_2O_3	Gd_2O_3	Tb_2O_3	Dy_2O_3	Ho_2O_3	Er_2O_3	Tm_2O_3	Yb_2O_3	Lu_2O_3	Y_2O_3	Légères	Lourdes	Nd_2O_3 +Pr_2O_3	Tb_2O_3	Dy_2O_3
		*1 000	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Josette Nord-Est	Mesurées	1 409	3,38	1,52	0,44	1,03	0,13	0,55	0,12	0,012	0,12	0,019	0,11	0,023	0,06	0,008	0,039	0,004	0,71	2,27	1,11	0,68	0,019	0,11
	Indiquées	2 728	3,44	1,54	0,45	1,05	0,13	0,56	0,12	0,013	0,12	0,019	0,11	0,024	0,07	0,008	0,04	0,004	0,72	2,31	1,13	0,69	0,019	0,11
	M+I	4 138	3,42	1,53	0,45	1,04	0,13	0,56	0,12	0,013	0,12	0,019	0,11	0,024	0,07	0,008	0,04	0,004	0,72	2,3	1,12	0,69	0,019	0,11
	Présumée	1 370	3,92	1,76	0,52	1,2	0,15	0,64	0,14	0,014	0,13	0,022	0,13	0,027	0,07	0,01	0,046	0,005	0,82	2,65	1,27	0,79	0,022	0,13
Josette Sud-Ouest	Mesurées	1 729	1,55	0,69	0,21	0,48	0,06	0,25	0,05	0,005	0,05	0,008	0,05	0,01	0,03	0,004	0,019	0,002	0,32	1,05	0,5	0,31	0,008	0,05
	Indiquées	2 614	1,51	0,67	0,20	0,47	0,06	0,24	0,05	0,005	0,05	0,008	0,05	0,01	0,03	0,004	0,018	0,002	0,31	1,02	0,49	0,3	0,008	0,05
	M+I	4 343	1,52	0,68	0,20	0,47	0,06	0,24	0,05	0,005	0,05	0,008	0,05	0,01	0,03	0,004	0,018	0,002	0,31	1,03	0,49	0,3	0,008	0,05
	Présumée	455	1,28	0,56	0,18	0,4	0,05	0,21	0,04	0,004	0,04	0,007	0,04	0,008	0,02	0	0,015	0,002	0,26	0,88	0,4	0,26	0,007	0,04
Combinées	Mesurées	3 139	2,37	1,06	0,31	0,73	0,09	0,38	0,08	0,008	0,08	0,013	0,08	0,016	0,04	0,006	0,028	0,003	0,50	1,6	0,77	0,48	0,013	0,08
	Indiquées	5 342	2,49	1,11	0,33	0,77	0,10	0,40	0,09	0,009	0,09	0,014	0,08	0,017	0,05	0,006	0,029	0,003	0,52	1,68	0,81	0,5	0,014	0,08
	M+I	8 481	2,45	1,09	0,32	0,75	0,09	0,40	0,08	0,009	0,08	0,013	0,08	0,017	0,05	0,006	0,029	0,003	0,51	1,65	0,8	0,49	0,013	0,08
	Présumée	1 826	3,26	1,46	0,43	1,00	0,13	0,53	0,12	0,012	0,11	0,018	0,11	0,022	0,06	0,008	0,038	0,004	0,68	2,21	1,06	0,66	0,018	0,11


Mise en garde et autres informations pertinentes :

1. La viabilité économique de ressources minérales qui ne sont pas des réserves minérales n'a pas été démontrée. L'estimation des ressources minérales pourrait être sérieusement affectée par des enjeux environnementaux, liés aux permis, juridiques, liés aux titres, fiscaux, sociopolitiques, liés à la commercialisation ou d'autres enjeux pertinents.
2. Les ressources minérales ont été estimées en utilisant les normes de l'Institut canadien des mines, de la métallurgie et du pétrole (ICM) sur les définitions des ressources et des réserves minérales préparées par le comité permanent de l'ICM sur les définitions des réserves et adoptées par le conseil de l'ICM le 10 mai 2014.
3. Les ressources minérales présumées comprises dans cette estimation ont un niveau de confiance inférieur à celui qui s'applique aux ressources minérales indiquées et ne doivent pas être converties en réserves minérales. On peut raisonnablement s'attendre a ce que la majorité des ressources minérales présumées atteignent le rang de ressources minérales indiquées à la suite d'une exploration continue.
4. Les formes minières optimisées (FMO) ont été générées à l'aide du module MSO du logiciel Deswik, à patir d'une valeur de coupure de 471$/t, un taux de récupération de 74.5%, un prix de vente de 67,73 $/kg d'oxydes de terres rares totales (OTRT). Les ressources ont été estimées à partir de FMO en utilisant la valeur de coupure marginale, laquelle exclut les coûts de minage qui correspondent à une valeur de 386 $/tonnes.
5. OTRT = La_2O_3 + Ce_2O_3 + Pr_2O_3 + Nd_2O_3 + Sm_2O_3 + Eu_2O_3 + Gd_2O_3 + Tb_2O_3 + Dy_2O_3 + Ho_2O_3 + Er_2O_3 + Tm_2O_3 + Yb_2O_3 + Lu_2O_3 + Y_2O_3.
6. OTR Critiques = Pr_2O_3 + Nd_2O_3 + Tb_2O_3 + Dy_2O_3 + Y_2O_3.
7. OTR légères = La_2O_3 + Ce_2O_3 + Pr_2O_3 + Nd_2O_3 + Sm_2O_3 (tel qu'employé par Hazen Research Inc.).
8. OTR lourdes = Eu_2O_3 + Gd_2O_3 + Tb_2O_3 + Dy_2O_3 + Ho_2O_3 + Er_2O_3 + Tm_2O_3 + Yb_2O_3 + Lu_2O_3 + Y_2O_3 (tel qu'employé par Hazen Research Inc.).
9. La date d'effet de l'estimation des ressources est le 25 juin 2026.
10. Les chiffres ayant été arrondis, leur somme peut ne pas correspondre aux totaux indiqués.

MINERAL RESOURCE ESTIMATE SUMMARY | EFFECTIVE JUNE 25, 2026
SOURCE: 2026 PEA STUDY FOR THE KWYJIBO PROJECT PREPARED FOR NORDIQUE CRITICAL METALS INC. BY DRA AMERICAS INC.

© 2026 NORDIQUE CRITICAL METALS


KWYJIBO • PROJECT DRILLHOLE LOCATIONS • JOSETTE NORTHEAST | SOUTHWEST



SOURCE: 2018 PEA Study for the Kwyjibo Project prepared for SOQUEM by *DRA/Met-Chem # : G02187*

© 2026 NORDIQUE CRITICAL METALS


KWYJIBO • LONGITUDINALS OF HORIZON JOSETTE



SOURCE : Étude EEP 2018 pour le projet Kwyjibo préparée pour SOQUEM par *DRA/Met-Chem n° : G02187*

© 2026 NORDIQUE CRITICAL METALS

Critical rare earth ratio of major rare earth deposits worlwide




Critical Rare Earth Oxides (CREOs)

Pr_2O_3 – Praseodymium oxide
Nd_2O_3 – Neodymium oxide
Dy_2O_3 – Dysprosium oxide
Tb_2O_3 – Terbium oxide
Y_2O_3 – Yttrium oxide

© 2026 NORDIQUE CRITICAL METALS

KWYJIBO • CROSS SECTION ALONG JOSETTE NORTHEAST ZONE



SOURCE: 2018 PEA Study for the Kwyjibo Project prepared for SOQUEM by *DRA/Met-Chem # : G02187*

© 2026 NORDIQUE CRITICAL METALS

NORDIQUE CRITICAL METALS • APPENDIX



- MANAGEMENT AND BOARD MEMBERS
- PROJECT LOCATION AND RESOURCES DETAILS
- KWYJIBO SITE AND CORE FACILITY VISIT

© 2026 NORDIQUE CRITICAL METALS

KWYJIBO • SURFACE SITE VISIT (09/2025)



SOURCE: NORDIQUE/SOQUEM visit to the Kwyjibo Exploration Project (September 2025)

© 2026 NORDIQUE CRITICAL METALS

KWYJIBO • NORDIQUE/SOQUEM CORE SHACK VISIT (09/2025)



Hole 13-112 | 17 meters @ 6.94% TREO

SOURCE: 2018 PEA Study for the Kwyjibo Project prepared for SOQUEM by *DRA/Met-Chem # : G02187*
SOURCE: NORDIQUE/SOQUEM visit to the Kwyjibo Core Shack (September 2025)

© 2026 NORDIQUE CRITICAL METALS

KWYJIBO • NORDIQUE/SOQUEM CORE SHACK VISIT (09/2025)



Hole 13-69A | One of the holes used for metallurgical testing of mineralized magnetite.

Hole was drilled near Hole 13-69 which resulted in 26 meters @ 3.10% TREO

SOURCE: 2018 PEA Study for the Kwyjibo Project prepared for SOQUEM by *DRA/Met-Chem # : G02187*
SOURCE: NORDIQUE/SOQUEM visit to the Kwyjibo Core Shack (September 2025)

© 2026 NORDIQUE CRITICAL METALS



NORDIQUE
CRITICAL METALS

THANK YOU

e: info@nordiquecriticalmetals.com

1000 rue De La Gauchetière Ouest, Suite MZ400,
Montréal, Québec H3B 0A2, Canada

www.nordiquecriticalmetals.com

TSXV: NQC | OTCQB: JORFF | FRA: J6K